

### Picture

### TECHNICAL PROPERTIES



<b>Name</b>	<b>Voltage protector</b>
<b>P/N</b>	<b>VP001 40A</b>
	<b>VP002 63A</b>
<b>Power supply</b>	<b>220V 50/60HZ</b>
<b>Overvoltage</b>	<b>AC230V-300V</b>
<b>Undervoltage</b>	<b>AC140V-210V</b>
<b>Delay</b>	<b>1s-300s</b>



<b>Name</b>	<b>Amper protector</b>
<b>P/N</b>	<b>AP001 40A</b>
	<b>AP002 63A</b>
<b>Power supply</b>	<b>220V 50/60HZ</b>
<b>Range</b>	<b>40A 63A</b>



<b>Name</b>	<b>Voltage +Current protector</b>
<b>P/N</b>	<b>VAP001 40A</b>
	<b>VAP002 63A</b>
<b>Power supply</b>	<b>220V 50/60HZ</b>
<b>Overvoltage</b>	<b>AC230V-300V</b>
<b>Undervoltage</b>	<b>AC140V-210V</b>
<b>Delay</b>	<b>1s-600s</b>



<b>Name</b>	<b>Voltage protec socket</b>
<b>P/N</b>	<b>VPS001 40A</b>
<b>Power supply</b>	<b>140-270VAC 50/60HZ</b>
<b>Overvoltage</b>	<b>AC230V-300V</b>
<b>Undervoltage</b>	<b>AC140V-210V</b>
<b>Delay</b>	<b>5s-999s</b>