

**EWAY<sup>®</sup>**



# VEHICLE REAR VIEW SAFETY SYSTEM

EWAY CAR TECHNOLOGY LTD





**TRAVEL SAFE  
ON THE ROAD  
ENJOY FREEDOM LIVE**

Our camera systems are fully compliant with automobile safety standards and we take roadsafety extremely seriously. Whether you are looking for commercial cameras, car cameras, third brake light cameras, OEM cameras or specialty cameras. EWAY Safety has your back.

## TABLE OF CONTENTS

|                              |           |
|------------------------------|-----------|
| Rechargeable Magnetic Camera | 01.....02 |
| Wireless Camera              | 03.....04 |
| Wireless RV Camera           | 05.....08 |
| Wired Backup Camera          | 09.....12 |
| Dash Monitor                 | 13.....17 |
| Custom Camera                | 18.....24 |

# RECHARGEABLE MAGNETIC CAMERA

OBSERVATION TOOL  
EASILY  
USED ANYWHERE



Portable Battery-powered magnetic hitch camera does not require drilling or wiring and can be charged and used anytime, which adapts antenna for a stable WiFi Signal.

## EW-B502KIT

### RECHARGEABLE MAGNETIC CAMERA WITH 5" MONITOR

#### EASY TO USE

- Uses a 12V 2800mA power lithium battery, working up to 8 hours
- Type-C power charging for camera, or DC power supply for use
- 12V cigarette lighter DC socket power for monitor



#### WIRELESS CONNECTION

- 5"IPS monitor offer a 178°view angel sharper picture quality at any angel
- Stable transmission distance of open area up to 100ft

#### NIGHT TIME

- Support IR-CUT night vision, instantly turn on IR lights

#### VARIETY MOUNTING

- With magnetic base, convenient to remove and re-install location

#### QUALITY DESIGN

- Water-proof rating IP68
- FCC ID and CE certification



# RECHARGEABLE MAGNETIC CAMERA



## EW-B502AP

### RECHARGEABLE MAGNETIC CAMERA TO PHONE APP

#### EASY TO USE

- Uses a 12V 2800mA power lithium battery, working up to 8 hours
- Type-C power charging for camera, or DC power supply for use
- 12V cigarette lighter DC socket power for monitor

#### WIFI CONNECTION

- 2.4Ghz wirelessly to view on the phone device (support ISO / Android system)
- Stable transmission distance of open area up to 100ft

#### NIGHT TIME

- Support IR-CUT night vision, instantly turn on IR lights

#### VARIETY MOUNTING

- With magnetic base, convenient to remove and re-install location

#### QUALITY DESIGN

- Water-proof rating IP68
- FCC ID and CE certification



# PORTABLE WIRELESS CAMERA



## CM-510KIT

### BATTERY-POWERED LICENSE PLATE CAMERA KIT

- This battery-powered camera installs quickly and easily to your front/rear license plate, tube frame, flat panel or roll cage
- 2.4Ghz Wirelessly pairs with a Wi-Fi enabled to view on the display
- Stable transmission distance of open area up to 100ft
- 5" IPS monitor, with power activate button for easy switch on/off the rear view system
- Rugged and weatherproof water-rated to IP68 (splashes, rain or snow)
- Uses a 3200 mAh battery; battery life lasts up to 3 months with average use (lithium included)
- Supports USB charging
- Resolution 1288H \* 968V



BATTERY POWERED



EASY TO INSTALL



PLUG & PLAY MONITOR

#### EASY TO USE

- Powered flat mount camera
- Cigarette lighter DC socket power for monitor

#### WIRELESS CONNECTION


- 2.4Ghz wireless
- Transmission range of open area up to 100ft

#### INCLUDES 5" IPS MONITOR


- 5"IPS monitor offer a 178°view angel sharper picture

#### QUALITY DESIGN

- Water-proof rating IP68
- FCC ID and CE certification



# PORTABLE WIRELESS CAMERA



Step 2: Connect the monitor to cigarette lighter plug, and on/off monitor



## B504/U617

### WIRELESS CAMERA TO PHONE APP

- 9-24V power supply
- IP68 waterproof
- WiFi connection transmission distance up to 30ft (open area)
- Real-Time Front / Rear View
- Min. illumination 0.1 lux
- Resolution: 500 TV lines
- Field of view: diagonal 170°, horizontal 125°, vertical 100°



## CM-1003KIT

### UNIVERSAL WIRELESS SYSTEM MONITOR + CAMERA KIT

- Easy installation uses existing trailer light
- 5" LCD monitor for rear view image
- Wireless connection transmission distance range up to 100FT
- 9-24V power supply
- DC socket power for monitor
- Min. illumination 0.1 lux
- IP68 waterproof camera
- Come with DOT LED Taillights
- Field of view: diagonal 170°, horizontal 125°, vertical 100°



## N601KIT

### UNIVERSAL WIRELESS SYSTEM MONITOR + CAMERA KIT

- Easy license plate mount installation
- 5" IPS monitor for rear view image
- Wireless connection transmission distance range up to 20M/65FT
- 9-24V power supply
- DC socket power for monitor
- Min. illumination 0.1 lux
- IP68 waterproof camera
- Field of view: diagonal 170°, horizontal 125°, vertical 100°



# RV BACKUP CAMERA SYSTEM



7" Monitor  
**CM2305**



Camera with Rear Marker Light  
**CM2302**




Side Camera with Marker Light(L&R)  
**CM2303/CMS2304**



Doorway/Rear Camera  
**CM2301**

The EWAY RV-camera system brings better visibility for smoother mobility in drive and extra security in park, eliminate hidden dangers caused by blind spots. A great parking safety solution for trucks, specialty vehicles, trailers and more



## 7" RV CAMERA SYSTEM

- 2.4GHz touch screen display
- DC 12-32V
- Heavy-duty camera
- Motion detectors/Microphones
- 400FT unobstructed transmission distance
- Adding 360° views observation on the road



# RV BACKUP CAMERA SYSTEM

## CM2301

### DOORWAY/REAR CAMERA



- 2.4GHz/ 25dB, open area transmission distance up to 300 meters/984ft (300m)
- Night Vision Distance: Up to 16ft (5m)
- IP68 waterproof
- Equipped with 9 infrared lights for night vision and intelligent IR cut filter for clear viewing
- Features high lumen 4 white led lights for illuminating
- CMOS Sensor: SC2235, 1920 x 1080 high resolution
- Field of view: diagonal 170°, horizontal 150°, vertical 75°, view angles be adjusted up and down by 45°

## CM2302

### DOORWAY/REAR CAMERA



- 2.4GHz/ 25dB, open area transmission distance up to 984ft (300m)
- Equipped with 9 infrared lights for night vision and intelligent IR cut filter for clear viewing
- Night Vision Distance: Up to 16ft (5m)
- CMOS Sensor: SC2235, 1920 x 1080 high resolution
- Rear tail light signal (red) are included.
- Motion detection and microphone (Optional)
- Field of view: diagonal 170°, horizontal 150°, vertical 75°, view angles be adjusted up and down by 45°

## CM2303 (LEFT)/CMS2304 (RIGHT)

### SIDE CAMERA WITH MARKER LIGHT (L&R)




- 2.4GHz/25dB, open area transmission distance up to 984ft (300m)
- Equipped with 9 infrared lights for night vision and intelligent IR cut filter for clear viewing
- Night Vision Distance: Up to 16ft (5m)
- CMOS, Sensor: SC2235, 1920 x 1080 high resolution
- Blind spot left side, right side turn signal lights (amber) are included.
- Motion detection and microphone (Optional)
- Field of view: diagonal 170°, horizontal 150°, vertical 75°, view angles be adjusted up and down by 45°



# RV BACKUP CAMERA SYSTEM

## MULTIPLE OPTIONS TO SET UP CAMERA SYSTEM:




**7"-1 Doorway/  
With Rear Camera Kit**





**7"-3 Camera With  
Marker Light kit (L&R)**





**7"-4 Cameras  
RV Backup Kit**




**7"-1 Magnetic Camera + 2  
Cameras with Marker Light Kit**



**5"-1 Magnetic Camera +  
1 Doorway/Rear Camera Kit**



**5"-1 Rear Camera  
or Doorway Camera**



# RV BACKUP CAMERA SYSTEM



Wired camera system can avoid more blind spots for you and ensure safer driving! And you don't have to worry about some problems that can occur with a wireless system, such as freezing, delay or signal loss.

## AI2100(BLACK)AI2101(WHITE) AI INTELLIGENT BACKUP CAMERA



- AI offers the very latest technology to help drivers detect vulnerable road users such as pedestrians, and motorcyclists
- Support external speaker output offers audible warning and visual alert on in-cab monitor
- 720P AHD Video Signal Output
- IP69 Waterproof rating
- Shell material: Aluminium Alloy
- IR leds night vision




## AI2102

### AI SIDE MOUNT CAMERA



- AI offers the very latest technology to help drivers detect vulnerable road users such as pedestrians
- Support external speaker output offers audible warning and visual alert on in-cab monitor
- 720P AHD video signal output
- PAL or NTSC, standard is with PAL system
- IP69 waterproof rating
- IR leds night vision



- |                  |                  |
|------------------|------------------|
| 1.Power In (RED) | 3.Audio (WHITE)  |
| 2.Ground (BLACK) | 4.Video (YELLOW) |



CONNECTION FROM CAMERA TO EXTENSION

# WIRED BACKUP CAMERA

FRONT + REAR + SIDE MOUNTING, DRILL MOUNT

## D606

### LIP / TAIL MOUNT MINI CAMERA

- 8mm threaded bolt for mounting
- Heavy duty metal housing
- 90° mounting options, can be mounted vertically or horizontally
- CVBS video or AHD video signal (Options)
- 1/3 CMOS sensor for clearer image
- Quality in both bright and low light
- Resolution: 480TV/ 520 TV lines
- Field of view: diagonal 170°, horizontal 128°, vertical 100°
- Min. illumination: 0.1 lux
- 5-24 volt support



WIRE LENGTHS

**Extension Cable:** 20ft(6.1M)

**Camera Cable:** 3ft(0.91M)



FLUSH  
MOUNT



SURFACE  
MOUNT



170°  
DEGREES  
VISUAL



AHD  
VIDEO  
SIGNAL



LINES  
ON/OFF



FRONT/REAR  
MOUNTING



## D607 (SILVER) D608 (BLACK)

### FRONT REAR MOUNT MINI CAMERA

- 8mm threaded bolt for mounting
- 18.7mm high camera housing
- mirror image(rear view) to non-mirror image(front view)
- CVBS video or AHD video signal(Optional)
- 1/4 CMD sensor for clearer image
- Quality in both bright and low light
- Resolution: 500 TV lines
- Field of view: diagonal 170°, horizontal 138°, vertical 100°
- Min. illumination: 0.1 lux



WIRE LENGTHS

**Extension Cable:** 20ft(6.1M)

**Camera Cable:** 3ft(0.91M)



FLUSH  
MOUNT



SURFACE  
MOUNT



170°  
DEGREES  
VISUAL



AHD  
VIDEO  
SIGNAL



LINES  
ON/OFF



FRONT/REAR  
MOUNTING



# WIRED BACKUP CAMERA

## D616 (SILVER) D617 (BLACK) MULTI-MOUNT ACCESSORY CAMERA

- License plate for mounting
- 18.7mm high camera housing
- mirror image(rear view) to non-mirror image(front view)
- CVBS video or AHD video signal (Options)
- 1/4 CMD sensor for clearer image
- Quality in both bright and low light
- Resolution: 500 TV lines
- Field of view: diagonal 170°, horizontal 138°, vertical 100°
- Min. illumination: 0.1 lux



WIRE LENGTHS

**Extension Cable:** 20ft(6.1M)

**Camera Cable:** 3ft(0.91M)



FLUSH  
MOUNT



SURFACE  
MOUNT



170°  
DEGREES  
VISUAL



AHD  
VIDEO  
SIGNAL



LINES  
ON/OFF



REAR  
MOUNTING



## CM04LED SMALL SQUARE CAMERA + LEDs

- 4 IR LEDs for better night vision
- Surface mount design allows camera to pivot 130°
- Resolution: 420 TV lines
- Field of view: diagonal 170°, horizontal 120°, vertical 90°
- Min. illumination: 0.5 lux



WIRE LENGTHS

**Extension Cable:** 20ft(6.1M)

**Camera Cable:** 3ft(0.91M)



FLUSH  
MOUNT



SURFACE  
MOUNT



170°  
DEGREES  
VISUAL



AHD  
VIDEO  
SIGNAL



LINES  
ON/OFF



FRONT/REAR  
MOUNTING



## CM05S SMALL SQUARE CAMERA

- Resolution: 480 TV lines
- Field of view: diagonal 140°, horizontal 110°, vertical 100°
- Min. illumination: 0.5 lux



WIRE LENGTHS

**Extension Cable:** 20ft(6.1M)

**Camera Cable:** 3ft(0.91M)



FLUSH  
MOUNT



SURFACE  
MOUNT



170°  
DEGREES  
VISUAL



AHD  
VIDEO  
SIGNAL



LINES  
ON/OFF



FRONT/REAR  
MOUNTING



# WIRED BACKUP CAMERA



## J1002 / J1004 CLASS SPARE TIRE MOUNT

- Spare tire adjustable/fixed mounting
- Heavy duty metal housing (optional)
- CVBS video or AHD video signal (optional)
- 1/3 CMOS sensor for clearer image
- Quality in both bright and low light
- Resolution: 520 TV lines
- Field of view: diagonal 178°, horizontal 128°, vertical 108°
- Min. illumination: 0.1 lux



### WIRE LENGTHS

**Extension Cable:** 20ft(6.1M)

**Camera Cable:** 3ft(0.91M)



## J1006 / J1007 LIGHTER SPARE TIRE MOUNT

- Spare tire adjustable/fixed mounting
- Heavy duty metal housing
- CVBS video or AHD video signal (options)
- 1/3 CMOS sensor for clearer image
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 178°, horizontal 128°, vertical 108°
- Min. illumination: 0.1 lux



### WIRE LENGTHS

**Extension Cable:** 20ft(6.1M)

**Camera Cable:** 3ft(0.91M)



# WIRED BACKUP CAMERA

SIDE VIEW + DUAL LENS

## **NEW** DUAL-LENS SIDE MOUNTING CAMERA


### CS209

#### DUAL-LENS SIDE MOUNT CAMERA

- Dual-lens camera provides wider blind spot view
- Forward and backward side blind spot monitoring with 1 video-in channels.
- Rear view on (default), if switching to front view, after 20 seconds automatically return to rear view
- CMOS: NTSC / PAL video (optional), AHD720P / CVBS TV system (optional)
- Silicone covering layer, slightly adjustable the install shape of the camera truck location
- IP 67 Waterproof Rating
- Min. illumination: 0.1 lux
- Field of view: diagonal 160°, horizontal 110°, vertical 92°



CONNECTION FROM  
CAMERA TO EXTENSION



Rear Left



Front Left



# DASH MONITOR

WIRELESS

## **NEW** 7" TOUCH SCREEN MONITOR

The rearview monitor is an understated but critical vehicle accessory. There was a blind spot in your vehicle, adding a great monitor display can improve the quality and safety of your drive. Try one of these options.

### 7" FULL HD 1024X800 TOUCHSCREEN MONITOR



TouchScreen



Portable Size



1024x800 Pixels



IPS Panel



Quad View



Record Wireless



Build-in Speaker



# DASH MONITOR

WIRELESS+HARDWIRED

## 7TCM2305

### 7" WIRELESS TOUCH SCREEN MONITOR

- Full touch screen
- IPS panel offers a 178° view angle sharper picture quality at any angle
- Quad / 2-split view screen, support 4-channel and split-screen mode
- 2.4GHz / 25dB, open area transmission distance up to 984ft(300m)
- 1024 x 800 High Resolution Monitor
- Recording and playback
- FCC and CE certification
- Dash mount base with tape or windshield mount suction cup
- Easy DC/cigarette socket power plug for monitor



Touch  
Screen



NIGHT  
VISION



LARGE  
VEHICLE



FCC  
certification



CE  
certification

## 5CM2201

### 5" WIRELESS MONITOR DISPLAY

- 2.4GHz open area transmission distance up to 100 feet
- IPS HD monitor
- Support 1-channel or 2-channel split-screen mode
- Resolution support: 480 x 272 or HD720P
- Dash mount base with 3M tape or windshield mount suction cup
- Easy DC/cigarette socket power plug for monitor
- FCC and CE certification



IPS  
Panel



NIGHT  
VISION



LARGE  
VEHICLE



FCC  
certification



CE  
certification

## 4CM2307

### COLOR LCD DISPLAY

- Dash mount base with 3M tape or windshield mount suction cup
- 2 video inputs: rear-view
- Camera & secondary input
- Resolution: 480x272



Portable  
Size



NIGHT  
VISION



LARGE  
VEHICLE



# DASH MONITOR

## HARDWIRED

### 5CM2309

#### COLOR LCD DISPLAY

- Dash mount base with 3M tape or windshield mount suction cup
- 2 video inputs: rear-view
- Camera & secondary input
- Resolution: 480x272



Portable  
Size



NIGHT  
VISION



LARGE  
VEHICLE



### M7002

#### 7" LCD SCREEN(OPTION 1)

- 7" color display
- Dash mount base with 3M tape
- 2 video inputs: rear-view
- Camera & secondary input
- Resolution: 480x272
- Luminance: 300 nits

#### 7" AHD SCREEN (OPTION 2)

- Resolution: 1024 x 600
- Brightness: 400 cd/m2
- 2 AHD inputs – single view only
- Detachable sunshade
- Dash mount base bracket included
- Trigger for each camera input



1024 x 600  
Pixels



Portable  
Size



NIGHT  
VISION



LARGE  
VEHICLE

# DASH MONITOR

## HARDWIRED

### M7004

#### 7" VIDEO QUAD SCREEN

- 7" color LCD display
- Dash mount base
- Quad/2-split view screen
- 4 video inputs: rear-view
- Camera & secondary input
- Resolution: 480x272
- Luminance: 300 nits



Quad  
view



Portable  
Size



NIGHT  
VISION



LARGE  
VEHICLE



### 10CM2306

#### 10.1" LCD SCREEN(OPTION 1)

- 10.1" color LCD display
- Dash mount base with 3M tape
- 2 video inputs: rear-view
- Camera & secondary input
- Resolution: 480x272
- Luminance: 300 nits

#### 10.1" AHD SCREEN (OPTION 2)

- Resolution: 1920 x 1080
- Brightness: 400 cd/m2
- 4 AHD inputs - single view only
- Detachable sunshade
- Dash mount base bracket included



1920x1080  
Pixels



Portable  
Size



NIGHT  
VISION



LARGE  
VEHICLE

# DASH MONITOR

WIRELESS+HARDWIRED

## WIRELESS SIGNAL DASH MONITOR



Touch  
Screen



NIGHT  
VISION



LARGE  
VEHICLE



FCC  
certification



CE  
certification



**5CM2201**



**7TCM2305**

MONITOR

5"LCD/5"IPS

7" IPS Touch screen

IMAGE  
QUALITY

480P/720P

1080AHD

WIRELESS RANGE  
FOR VEHICLE

Under 33ft/Under 100ft

Under 100ft/Under 985ft

MAX SUPPORT  
CAMERA

2-Channels

4-Channels

## HARDWIRED TFT LCD /AHD DASH MONITOR



1920x1080  
Pixels



NIGHT  
VISION



NIGHT  
VISION



LARGE  
VEHICLE



**4CM2307**



**5CM2309**



**M7002**



**M7004**



**10CM2306**

MONITOR  
SIZE

4.3"

5"

7"

7"

10.1"

IMAGE  
QUALITY

480P

480P/720AHD

480P/720AHD

480P/720AHD

720AHD/1080AHD

MAX SUPPORT  
CAMERA

2-Channels

2-Channels

2-Channels

4-Channels

4-Channels

# CUSTOM CAMERA

TAILGATE MOUNTING MOUNTING,FACTORY LOOK



## C109

### FITS: 1999-2006 CHEVROLET SILVERADO GMC SIERRE

- Adds a camera to the vehicle tailgate handle
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal (optional)



WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)

**170°**  
DEGREES  
VISUAL

**AHD**  
VIDEO  
SIGNAL

**On/Off**  
LINES  
ON/OFF

**REAR  
MOUNTING**



# CUSTOM CAMERA

## C103-BK(BLACK),C1003-CH(SILVER)

**FITS: 2007-2013 GMC SIERRA**

**CHEVROLET SILVERADO 1500**

**2007-2014 GMC SIERRA**

**CHEVROLET SILVERADO 2500/3500**

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)

### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



LINES  
ON/OFF



REAR  
MOUNTING



AHD  
VIDEO  
SIGNAL



170°  
DEGREES  
VISUAL

## C110

**FITS: 2015-UP\* CHEVROLET COLORADO**

**2014-2018 CHEVROLET SILVERADO**

**GMC SIERRA**

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)



LINES  
ON/OFF



REAR  
MOUNTING



AHD  
VIDEO  
SIGNAL



170°  
DEGREES  
VISUAL



### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)

# CUSTOM CAMERA

## C112

### FITS: 199-2013 TOYOTA TUNDRA

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)

#### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



LINES  
ON/OFF



REAR  
MOUNTING



VIDEO  
SIGNAL



DEGREES  
VISUAL

## C105

### FITS: 2007-2013 TOYOTA TUNDRA

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal (options)



#### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



LINES  
ON/OFF



REAR  
MOUNTING



VIDEO  
SIGNAL



DEGREES  
VISUAL

## C121

### FITS: 2005-2014 TOYOTA TACOMA

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal (options)

#### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



LINES  
ON/OFF



REAR  
MOUNTING



VIDEO  
SIGNAL



DEGREES  
VISUAL

# CUSTOM CAMERA

## C111

**FITS: 2016-UP\* TOYOTA TACOMA**  
**2014-UP\* TOYOTA TUNDRA**

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)

### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



LINES  
ON/OFF



REAR  
MOUNTING



AHD  
VIDEO  
SIGNAL



170°  
DEGREES  
VISUAL

## C106

**FITS: 1997-2004 FORD F-150**

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)

### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



LINES  
ON/OFF



REAR  
MOUNTING



AHD  
VIDEO  
SIGNAL



170°  
DEGREES  
VISUAL

## C102(Black),C126(Black/Silver),C1001(Silver)

**FITS: 2005-2014 FORD F-150/**  
**2008-2016 FORD SUPER DUTY F-250/F-550**

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)

### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



AHD  
VIDEO  
SIGNAL



170°  
DEGREES  
VISUAL



LINES  
ON/OFF



REAR  
MOUNTING



# CUSTOM CAMERA

## CH108

### FITS: 2015-2020 FORD F-150

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)

#### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



## C107

### FITS: 2002-2008 DODGE RAM

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)

#### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



## C104(BLACK)/C1002(SILVER)

### FITS: 2009-2018 RAM 1500

### 2010-2018 RAM 2500

- Adds a camera to the vehicle tailgate handle with key hole
- Quality in both bright and low light
- Resolution: 600 TV lines
- Field of view: diagonal 170°, horizontal 140°, vertical 104°
- Min. illumination: 0.1 lux
- CVBS video or AHD video signal(optional)

#### WIRE LENGTHS

**Extension Cable:** 26ft(8M)

**Camera Cable:** 3ft(0.91M)



# CUSTOM CAMERA

## HIGH MOUNT, REAR


### RAM-1416

**FITS: Ram Promaster 1500 2500 3500 2014-2019**

- Can be viewed while driving with compatible monitor
- OEM look replacement
- Resolution: 520 TV Lines
- Selectable parking lines
- Field of view: diagonal 170°, horizontal 128°, vertical 108°
- Water-resistant - IP68



CONNECTION FROM CAMERA TO EXTENSION



- 1.Power In(RED)
- 2.Ground(BLACK)
- 3.Audio(WHITE)
- 4.Video (YELLOW)



LINES  
ON/OFF



REAR  
MOUNTING



IP68  
RATED



DEGREES  
VISUAL

### GMC-000

**FITS: Chevrolet Express/GMC Savana /  
Chevy Explorer Van 2003-2019**

- RCA output for aftermarket radios or monitors
- Can be viewed while driving with compatible monitor
- OEM look replacement
- Resolution: 520 TV Lines
- Selectable parking lines
- Field of view: diagonal 170°, horizontal 128°, vertical 108°
- Water-resistant - IP68



LINES  
ON/OFF



REAR  
MOUNTING



IP68  
RATED



DEGREES  
VISUAL

### CAM-SPT

**FITS: Mercedes/Dodge Sprinter W906/  
VW Crafter Van 2007-2019**

- RCA output for aftermarket radios or monitors
- Can be viewed while driving with compatible monitor
- OEM look replacement
- Resolution: 520 TV Lines
- Selectable parking lines
- Field of view: diagonal 170°, horizontal 128°, vertical 108°
- Water-resistant - IP68



LINES  
ON/OFF



REAR  
MOUNTING



IP68  
RATED



DEGREES  
VISUAL

# CUSTOM CAMERA

## C3-2046

### Universal 3rd mounting

- RCA output for aftermarket radios or monitors
- Can be viewed while driving with compatible monitor
- Improved power circuit
- OE look replacement
- Resolution: 600TV Lines
- Selectable parking lines
- Field of view: diagonal 170°, horizontal 128°, vertical 108°
- Water-resistant - IP68



LINES  
ON/OFF



REAR  
MOUNTING



IP68  
RATED



170°  
DEGREES  
VISUAL

## C3-2040

### FITS: Coachmen RV Class C 2016- up

- RCA output for aftermarket radios or monitors
- Can be viewed while driving with compatible monitor
- Improved power circuit
- OE look replacement
- Resolution: 600 TV Lines
- Selectable parking lines
- Field of view: diagonal 170°, horizontal 128°, vertical 108°
- Water-resistant - IP68



LINES  
ON/OFF



REAR  
MOUNTING




IP68  
RATED



170°  
DEGREES  
VISUAL



CONNECTION FROM CAMERA TO EXTENSION



1. Power In (RED) 3. Audio (WHITE)  
2. Ground (BLACK) 4. Video (YELLOW)

## CG01-2048(SMOKE LENS)

## CG01-2049(CLEAR LENS)

**FITS: Ford F150 2015-2020,  
F250 F350 F450 F550 2017 up,  
Ranger 2019 up, Maverick 2022 up**

- RCA output for aftermarket radios or monitors
- Can be viewed while driving with compatible monitor
- Improved power circuit
- OE look replacement
- Resolution: 600 TV Lines
- Selectable parking lines
- Field of view: diagonal 170°, horizontal 128°, vertical 108°
- Water-resistant - IP68



LINES  
ON/OFF



REAR  
MOUNTING



IP68  
RATED



170°  
DEGREES  
VISUAL



## CONNECT WITH US



camera@ewaysafety.com



Online Shop: [www.ewaysafety.com](http://www.ewaysafety.com)

Factory: [www.ewaysafety.net](http://www.ewaysafety.net)



(0086)18122462612