



FCCAS062-6101仕様書






冷水机-蒸汽压缩制冷式 Vapor compression refrigeration-Type Chiller

Model 型号			FCCAS062-6101		
Cooling mode 制冷方式			Vapor compression refrigeration 蒸汽压缩制冷		
Heat dissipation mode 散热方式			Air-cooled 强制风冷散热		
Control mode 控制方式			Temperature controller 温控器		
Ambient temperature/humidity 环境温度/湿度			10-35℃、30-70%RH		
Refrigerant 使用冷媒			R404A/R23		
Circulating fluid system 循环系统	Circulating fluid 循环流体		LH-85 低温导热油		
	Operating temperature range 工作温度范围		-40℃-125℃		
	Cooling capacity 制冷量		3500W (@-40℃) ※ 1		
	Heating capacity 制热量		≈5.5KW		
	Temperature stability 温度稳定性		±0.1℃		
	Pump 泵		magnetic drive type high temperature vortex pump, max flow rate 90L/min, max head 60m 磁力旋涡泵，最大流量90L/min，最大扬程60m		
	Tank volume 水箱容量		Approx 12L 约12L		
	Port size 接口尺寸	IN/OUT 进水口/出水口	G3/4内螺纹		
		Drain 排水口	G3/4内螺纹		
Wetted parts materail 接触液体零件材质			SUS 304, PTFE		
Electrical system 电气系统	Power supply 电源		Three-phase380VAC, 50Hz 三相AC380V, 50Hz		
	Current overload protection 过载电流		50A		
	Rated current 输入电流		36A		
	Communications 通信		RS485/RS232		
Weight 重量			Approx 500Kg 约500Kg		
Accessories 配件			/		

※ 1 Ambient temperature 25℃, Setting temperature -40℃
环境温度25℃，设定温度-40℃

冷水机-蒸汽压缩制冷式
Vapor compression refrigeration-Type Chiller

Parts Description



冷水机-蒸汽压缩制冷式

Vapor compression refrigeration-Type Chiller

Performance Curve

