



Product Catalogue

PREMIUM QUALITY TYRES

**PURE DRIVING
PLEASURE**



BEST CHOICE INTERNATIONAL TRADE CO.,LTD.

Third Floor of North Anhua Mansion, No.8 Yinghua West Street, Chaoyang District, Beijing, 10029, China
Web: www.chinese-tyres.com www.delmaxtyre.com.au E-mail: info@chinese-tyres.com
Tel: 86-10-64449145 Fax: 86-10-64447978

CONTENTS



ULTIMATOUR	—————	P01
PERFORMPRO	—————	P03
ULTIMASPORT	—————	P05
UTILITYPRO	—————	P07
GRIPPRO AT	—————	P09
EXPRESSPRO	—————	P11
ULTIMA SNOW	—————	P13
ULTIMA VAN	—————	P15
ULTIMA ICE ULTIMA ICE SUV	—————	P17
ANDEAN M/T AN1	—————	P19
ULTIMA PLUS	—————	P20

DELMAX TYRE, PREMIUM QUALITY

DELMAX tyre is focused on quality improvement, it is committed to become the premier brand from China.

Each of our new products has successfully passed the tests of European authoritative testing institutions.

DELMAX is a tyre brand covering the full range of HP, UHP, HT, AT, commercial, and has been sold to more than 60 countries and regions.

In 2018, four winter tyre patterns were launched for the European and CIS markets, and have gradually grown into global tyre brands that can be used in markets around the world.

WHY PREMIUM QUALITY IS GUARANTEED

*Stable and high quality raw material supply.

*First-class advanced production equipment.


*Most advanced production technology in tyre industry.

*1044 inspection procedures to ensure the most complete inspection process;
Pre-factory 100% inspection.

*Enterprise standardization management.

ULTIMATOUR

The ULTIMATOUR is designed for family passenger cars. Its advanced technology enables drivers to enjoy comfortable and fuel-saving driving.



Central rib combined with horizontal grooves provides nice stability, excellent acceleration and braking performance at high speed.


Main transverse grooves adopt cutting edge design, prevent pattern block from warping in high speed conditions, effectively avoid abnormal wear in early stage, ensure long service life of tyre.

ULTIMATOUR

Wheel Inch	Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
					Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
13	155/80R13	79T		380/ A/ A	E	C	70)	6924590242975
	165/70R13	79T		380/ A/ A	E	C	70)	6924590242982
	175/70R13	82T		380/ A/ A	E	C	70)	6924590242999
	185/70R13	86H		380/ A/ A					6924590245082
	165/65R13	77T		380/ A/ A					6924590245099
14	175/70R14	84H		380/ A/ A	E	C	70)	6924590243002
	185/70R14	88H		380/ A/ A	C	C	70)	6924590243019
	195/70R14	91H		380/ A/ A	C	C	71)	6924590243026
	205/70R14	98T	XL	380/ A/ A	B	C	72)	6924590243033
	155/65R14	75T		380/ A/ A					6924590245105
	165/65R14	79H		380/ A/ A					6924590245112
	175/65R14	86H		380/ A/ A	E	C	70)	6924590243040
	185/65R14	86H		380/ A/ A	C	C	70)	6924590243057
185/60R14	82H		380/ A/ A	E	C	70)	6924590243064	
15	215/70R15	98T		380/ A/ A	C	C	71)	6924590243071
	175/65R15	84H		380/ A/ A					6924590245129
	185/65R15	88H		380/ A/ A	C	C	70)	6924590243088
	195/65R15	91H		380/ A/ A	C	C	71)	6924590243095
	195/65R15	91V		380/ A/ A	C	C	71)	6924590243101
	205/65R15	94V		380/ A/ A	C	C	71)	6924590243118
	215/65R15	100H	XL	380/ A/ A	B	C	72)	6924590243125
	175/60R15	81H		380/ A/ A	E	C	70)	6924590244337
	185/60R15	88H	XL	380/ A/ A	C	C	70)	6924590243132
	195/60R15	88H		380/ A/ A	C	C	71)	6924590243149
	195/60R15	88V		380/ A/ A	C	C	71)	6924590243156
	205/60R15	91V		380/ A/ A	C	C	71)	6924590243163
	185/55R15	82V		380/ A/ A	E	C	70)	6924590243170
16	205/65R16	95V		380/ A/ A	C	C	71)	6924590243187
	215/65R16	98H		380/ A/ A	C	C	71)	6924590243194
	205/60R16	92V		380/ A/ A	C	C	71)	6924590243200
	215/60R16	95H		380/ A/ A	C	C	71)	6924590243217
	215/60R16	95V		380/ A/ A	C	C	71)	6924590243224
	225/60R16	102H	XL	380/ A/ A	C	C	71)	6924590243231
	185/55R16	83V		380/ A/ A					6924590245136
	195/55R16	87V		380/ A/ A	C	C	71)	6924590243248
	205/55R16	91V		380/ A/ A	C	C	71)	6924590243255
	205/55ZR16	94W	XL	380/ A/ A	C	C	71)	6924590243262
	195/50R16	84V		380/ A/ A	E	C	71)	6924590243279

PERFORMPRO

PERFORMPRO is designed for large sedans and sports vehicles. Four wide longitudinal grooves improve safety and car control, reducing the risk of aquaplaning in wet conditions. Maximum performance in sport driving, excellent braking response and great traction at high speed.



Inside wide angle arc grooves, ensure the drainage performance, prevents the tire slipping. outside serrated design in straight rib, increases contact area when tire steering, furthermore enhance the handling performance and stability.

Wide pattern block in tyre shoulder ensure excellent sporty performance.

Willow leaf shape simulation design, with dynamic feature, effectively prevent abnormal wear of corner.

Advanced silica rubber and nano-carbon black formula effectively lower tyre rolling resistance, fuel-saving and environmental.


PERFORMPRO



Wheel Inch	Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
					Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
15	195/55R15	85V		320/ A/ A	E	B	70)	6924590243286
	195/50R15	82V		320/ A/ A	E	B	70)	6924590243293
16	205/55ZR16	94W	XL	320/ A/ A	E	B	70)	6924590243309
	215/55ZR16	97W		320/ A/ A	C	B	71)	6924590243316
	225/55ZR16	99W		320/ A/ A	E	B	71)	6924590243323
	205/50ZR16	91W	XL	320/ A/ A	C	B	71)	6924590243330
	225/50ZR16	96W	XL	320/ A/ A	E	B	71)	6924590243347
	195/45R16	84V	XL	320/ A/ A	E	B	71)	6924590243354
17	205/45ZR16	87W	XL	320/ A/ A	E	B	71)	6924590243361
	225/60R17	99V		320/ A/ A	C	B	71)	6924590244290
	205/55ZR17	95W	XL	320/ A/ A					6924590245143
	215/55ZR17	98W	XL	320/ A/ A	C	B	71)	6924590243378
	225/55ZR17	101W	XL	320/ A/ A	C	B	71)	6924590243385
	235/55ZR17	103W	XL	320/ A/ A	C	B	71)	6924590243392
	205/50ZR17	93W	XL	320/ A/ A	C	B	71)	6924590243408
	215/50ZR17	95W	XL	320/ A/ A	C	B	71)	6924590243415
	225/50ZR17	98W	XL	320/ A/ A	C	B	71)	6924590243422
	205/45ZR17	88W	XL	320/ A/ A	C	B	71)	6924590243439
	215/45ZR17	91W	XL	320/ A/ A	C	B	71)	6924590243446
	225/45ZR17	94W	XL	320/ A/ A	E	B	71)	6924590243453
	235/45ZR17	97W	XL	320/ A/ A	E	B	71)	6924590243460
	245/45ZR17	99W	XL	320/ A/ A	E	B	71)	6924590243477
18	205/40ZR17	84W	XL	320/ A/ A	E	B	71)	6924590243484
	215/40ZR17	87W	XL	320/ A/ A	E	B	71)	6924590243491
	225/55ZR18	102W	XL	320/ A/ A	C	B	71)	6924590244306
	235/55ZR18	104W	XL	320/ A/ A	C	B	71)	6924590243507
	235/50ZR18	101W	XL	320/ A/ A	C	B	71)	6924590243514
	225/45ZR18	95W	XL	320/ A/ A	C	B	71)	6924590243521
	235/45ZR18	98W	XL	320/ A/ A	E	B	71)	6924590243538
	245/45ZR18	100W	XL	320/ A/ A	C	B	71)	6924590243545
	255/45ZR18	103W	XL	320/ A/ A	C	B	72)	6924590243552
	215/40ZR18	89W	XL	320/ A/ A					6924590245150
	225/40ZR18	92W	XL	320/ A/ A	E	B	71)	6924590243569
	235/40ZR18	95W	XL	320/ A/ A	E	B	71)	6924590243576
	245/40ZR18	97W	XL	320/ A/ A	E	B	71)	6924590243583
	215/35ZR18	84W	XL	320/ A/ A	E	B	71)	6924590243590
19	255/35ZR18	94Y	XL	320/ A/ A	E	B	72)	6924590243606
	265/35ZR18	97Y	XL	320/ A/ A	E	B	72)	6924590243613
	225/55ZR19	99W		320/ A/ A					6924590245167
	245/45ZR19	102W	XL	320/ A/ A	C	B	71)	6924590243620
	245/40ZR19	98W	XL	320/ A/ A	E	B	71)	6924590244344
	225/35ZR19	88W	XL	320/ A/ A	E	B	71)	6924590243637
	235/35ZR19	91W	XL	320/ A/ A	E	B	71)	6924590243644
20	245/35ZR19	93W	XL	320/ A/ A	E	B	71)	6924590243651
	275/35ZR19	100W	XL	320/ A/ A					6924590245174
	265/50R20	111V	XL	320/ A/ A	C	B	72)	6924590243668
	275/40ZR20	106W	XL	320/ A/ A	C	B	72)	6924590243675
	225/35ZR20	90W	XL	320/ A/ A	E	B	71)	6924590243682
	235/35ZR20	92W	XL	320/ A/ A	E	B	71)	6924590243699
	245/35ZR20	95Y	XL	320/ A/ A	E	B	71)	6924590243705

ULTIMA SPORT

The ULTIMA SPORT is an ultra high performance summer tyre designed for performance enthusiasts. With excellent traction and handling capabilities, the ULTIMA SPORT will let you start up quickly, provide stability in the straights and confidence on the bend.



"Flying wing" large inclination with single guide symmetrical pattern, ensure the tyre's super visual speed, drainage and steering performance.

Four criss-cross grooves design, ensure the excellent drainage and handling performance.

Wide groove design avoid the air flow, decrease inordinate wear, increase tyre life time.

wide Center rib ensure the guide performance.



ULTIMA SPORT

Wheel Inch	Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
					Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
17	255/45ZR17	98W		320/ A/ A	E	B	71)	6924590242555
18	255/40ZR18	99W	XL	320/ A/ A	E	B	71)	6924590242579
19	235/55ZR19	105W	XL	320/ A/ A	C	B	70)	6924590242586
	245/55ZR19	103W		320/ A/ A	E	B	70)	6924590242593
	255/45ZR19	104W	XL	320/ A/ A					6924590245273
	265/30ZR19	93W	XL	320/ A/ A	E	B	71)	6924590242623
20	275/55ZR20	117V	XL	320/ A/ A	C	B	72)	6924590242630
	275/55ZR20	117W	XL	320/ A/ A	C	B	72)	6924590242647
	245/50ZR20	102W		320/ A/ A	E	B	70)	6924590242654
	255/50ZR20	109Y	XL	320/ A/ A	C	B	71)	6924590242678
	265/50ZR20	111W	XL	320/ A/ A	C	B	71)	6924590242685
	285/50ZR20	116W	XL	320/ A/ A	E	B	73)	6924590242692
	245/45ZR20	103W	XL	320/ A/ A	C	B	70)	6924590242708
	255/45ZR20	105W	XL	320/ A/ A	C	B	71)	6924590242715
	275/45ZR20	110W	XL	320/ A/ A	E	B	72)	6924590242722
	265/40ZR20	104Y	XL	320/ A/ A	E	B	71)	6924590242739
	275/40ZR20	106W	XL	320/ A/ A	E	B	72)	6924590242753
	275/35ZR20	102W	XL	320/ A/ A	E	B	72)	6924590242777
	235/30ZR20	88W	XL	320/ A/ A	E	B	70)	6924590242784
	22	285/45ZR22	114W	XL	320/ A/ A	C	B	73)
305/45ZR22		118W	XL	320/ A/ A	E	B	73)	6924590242807
265/40ZR22		106W	XL	320/ A/ A	E	B	71)	6924590242814
305/40ZR22		114W	XL	320/ A/ A	E	B	73)	6924590242821
265/35ZR22		102W	XL	320/ A/ A	E	B	71)	6924590242838
285/35ZR22		106W	XL	320/ A/ A	E	B	73)	6924590242845
295/30ZR22		103W	XL	320/ A/ A	E	B	73)	6924590242852
225/30ZR22		86W	XL	320/ A/ A	E	B	70)	6924590242869
235/30ZR22		90W	XL	320/ A/ A	E	B	70)	6924590242876
245/30ZR22		92W	XL	320/ A/ A	E	B	70)	6924590242883
255/30ZR22		95W	XL	320/ A/ A	E	B	71)	6924590242890
265/30ZR22		97W	XL	320/ A/ A	E	B	71)	6924590242906
295/25ZR22		97Y	XL	320/ A/ A	E	B	73)	6924590242913
24		295/35ZR24	110W	XL	320/ A/ A	E	B	73)
	255/30ZR24	97W	XL	320/ A/ A	E	B	71)	6924590242944
	275/30ZR24	101W	XL	320/ A/ A	E	B	72)	6924590242951
	275/25ZR24	96W	XL	320/ A/ A	E	B	72)	6924590242968

UTILITYPRO

The UTILITYPRO is for high performance SUV with excellent performance on wet and dry roads. Driving precision and comfort are its distinguishing features thanks to excellent grip and easy handling.



UTILITYPRO




Wheel Inch	Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
					Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
15	215/75R15	100T		440/ A/ A	E	C	71)	6924590243712
	225/75R15	102T		440/ A/ A	E	C	71)	6924590243729
16	215/70R16	100T		440/ A/ A	E	C	71)	6924590243736
	225/70R16	103T		440/ A/ A	E	C	71)	6924590243743
	235/70R16	106T		440/ A/ A	E	C	71)	6924590243750
	245/70R16	107T		440/ A/ A	E	C	71)	6924590243767
	255/70R16	111T		440/ A/ A	E	C	72)	6924590243774
	265/70R16	112T		440/ A/ A	E	C	72)	6924590243781
	275/70R16	114T		440/ A/ A	E	C	72)	6924590243798
	255/65R16	109H		440/ A/ A	E	C	72)	6924590243804
17	235/60R16	100V		440/ A/ A	E	C	71)	6924590243811
	265/70R17	115T		440/ A/ A	C	C	72)	6924590243828
	215/65R17	99H		440/ A/ A					6924590245181
	225/65R17	106H	XL	440/ A/ A	C	C	72)	6924590243835
	235/65R17	108H	XL	440/ A/ A	C	C	72)	6924590243842
	245/65R17	111H	XL	440/ A/ A	C	C	72)	6924590243859
	265/65R17	112H		440/ A/ A	E	C	72)	6924590244283
	265/65R17	116H	XL	440/ A/ A	C	C	73)	6924590243866
	275/65R17	115H		440/ A/ A	C	C	72)	6924590243873
	285/65R17	116H		440/ A/ A	E	C	74)	6924590243880
18	215/60R17	96H		440/ A/ A	E	C	71)	6924590243897
	255/60R17	106V		440/ A/ A	E	C	72)	6924590243903
	235/55R17	103V	XL	440/ A/ A	E	C	72)	6924590243910
	265/70R18	116T		440/ A/ A					6924590245198
	265/65R18	114H		440/ A/ A	E	C	73)	6924590244375
	275/65R18	116H		440/ A/ A	C	C	73)	6924590243927
	225/60R18	100H	XL	440/ A/ A					6924590245204
	235/60R18	107H	XL	440/ A/ A	E	C	72)	6924590244351
	245/60R18	105H		440/ A/ A					6924590245211
	265/60R18	110H		440/ A/ A	E	C	73)	6924590243934
19	215/55R18	95V	XL	440/ A/ A					6924590245228
	235/55R18	104V	XL	440/ A/ A	E	C	72)	6924590243941
	255/55R18	109V	XL	440/ A/ A	E	C	73)	6924590243958
	245/55R19	103V		440/ A/ A					6924590245235
	235/50R19	99V		440/ A/ A					6924590245242
20	255/50R19	107V		440/ A/ A					6924590245259
20	285/50R20	116V	XL	440/ A/ A	E	C	74)	6924590243965

GRIPPRO AT

The GRIPPRO AT is an all-terrain tyre for SUV light truck to meet everyday on and off-road adventures. Whether you're commuting to work, towing a trailer or heading up to your favorite mountain trail, the balanced off-road and on-road performance of the GRIPPRO AT will get you to destination.



GRIPPRO AT



Wheel Inch	Size	Load Index & Speed Rate	/XL	UTQG	Load Range	Ply Rating	Labeling				UPC
							Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
15	LT235/75R15	116/113R			E	10PR	E	E	73)	6924590244153
	31x10.50R15LT	109S			C	6PR	E	C	73)	6924590244276
16	255/70R16	111T		480/ A/ A			E	C	72)	6924590244122
	265/70R16	112T		480/ A/ A			E	C	72)	6924590244139
	LT235/85R16	120/116R			E	10PR	E	E	73)	6924590244160
	LT225/75R16	115/112R			E	10PR	E	E	73)	6924590244177
	LT245/75R16	120/116R			E	10PR	E	E	73)	6924590244184
	LT265/75R16	123/120R			E	10PR	E	C	75)	6924590244191
17	LT285/75R16	126/123R			E	10PR					6924590244207
	265/70R17	115T		480/ A/ A			E	C	72)	6924590244146
	LT245/75R17	121/118R			E	10PR	E	E	73)	6924590244214
	LT245/70R17	119/116S			E	10PR	E	E	73)	6924590244221
	LT265/70R17	121/118S			E	10PR	E	C	73)	6924590244238
18	LT285/70R17	121/118S			D	8PR	E	C	75)	6924590244245
	265/60R18	110H		480/ A/ A							6924590245266
	LT265/70R18	124/121S			E	10PR	E	C	75)	6924590245252
	275/65R18LT	123/120S			E	10PR					6924590244269

EXPRESSPRO

The EXPRESSPRO is specifically designed for commercial vehicles. It is able to withstand heavy loads while saving fuels thanks to its stronger tread design and low rolling resistance pattern, The special compound guarantees extended durability and further mileage.

Multi-sheet design improves the wet grip performance.

Reinforced shoulder design , effectively improve the driving stability under high load condition.

The mute groove design effectively reduce noise.

Three straight grooves , effectively drain off water, and improve pattern saturation.

EXPRESSPRO



Wheel Inch	Size	Load Index & Speed Rate	Load Range	Ply Rating	Labeling				UPC
					Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
14	185R14C	102/100S	D	8PR	C	E	72)	6924590243972
	195R14C	106/104S	D	8PR	C	E	72)	6924590243989
	205R14C	110/108R	D	8PR	C	E	72)	6924590243996
15	195/70R15C	104/102S	D	8PR	C	C	72)	6924590244313
	205/70R15C	106/104S	D	8PR	C	E	72)	6924590244009
	215/70R15C	109/107S	D	8PR	C	E	72)	6924590244016
	225/70R15C	112/110S	D	8PR	C	E	72)	6924590244023
	195R15C	106/104S	D	8PR	C	E	72)	6924590244030
16	185/75R16C	104/102S	D	8PR	C	E	72)	6924590244047
	195/75R16C	107/105S	D	8PR	C	E	72)	6924590244054
	205/75R16C	110/108R	D	8PR	C	E	72)	6924590244061
	195/65R16C	104/102T	D	8PR	C	E	72)	6924590244078
	205/65R16C	107/105T	D	8PR	C	E	72)	6924590244085
	215/65R16C	109/107T	D	8PR	C	E	72)	6924590244092
	225/65R16C	112/110T	D	8PR	C	E	72)	6924590244108
	235/65R16C	115/113T	D	8PR	C	E	72)	6924590244115
7.50R16C	121/120N	F	12PR	C	C	72)	6924590244320	

ULTIMA SNOW

ULTIMA SNOW has excellent handling performance on snow and icy roads. The tiny sipes of tyres reduce the noise caused by the impact of the tyre on the road which provide a comfortable driving experience.

*Shore hardness is 49

ULTIMA SNOW



The large rigidity block design on the outside of the tyre provides excellent handling.

Multi-cross pattern design provides grip on icy and snowy roads.

Three longitudinal zigzag grooves provide high drainage performance and handling performance on snow and icy roads.

The tiny sipes reduce the noise caused by the impact of the tyre on the road.

Wheel Inch	Size	Load Index & Speed Rate	/XL	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
14	175/65R14	82T		C	B	71)	6924590244719
	185/65R14	90T	XL	C	B	71)	6924590244726
15	185/65R15	92T	XL	C	B	71)	6924590244733
	195/65R15	95T	XL	C	B	72)	6924590244740
	185/60R15	88T	XL	C	B	71)	6924590244757
16	215/65R16	102T	XL	C	B	72)	6924590244764
	205/65R16	96T	XL	C	B	72)	6924590244771
	215/60R16	99T	XL	C	B	72)	6924590244788
	205/55R16	94T	XL	C	B	72)	6924590244795
17	215/55R16	97T	XL	C	B	72)	6924590244801
	225/65R17	106T	XL	C	B	72)	6924590244818
	225/60R17	103T	XL	C	B	72)	6924590244825
	215/55R17	98T	XL	C	B	72)	6924590244832
	225/55R17	101T	XL	C	B	72)	6924590244849
	225/50R17	98T	XL	C	B	72)	6924590244856
18	225/45R17	94T	XL	C	B	72)	6924590244863
	235/60R18	107T	XL	C	B	72)	6924590244870
	265/60R18	114T	XL	C	B	73)	6924590244887
	285/60R18	116T		B	B	75)	6924590244894
	225/55R18	102T	XL	C	B	72)	6924590244900
	245/45R18	100T	XL	C	B	72)	6924590244917

ULTIMA VAN

ULTIMA VAN is designed for vans which driving on snow and icy roads in winter. It has the coupling block pattern that provides stronger load capacity and stable handling performance. ULTIMA VAN can provide comfortable and quiet driving experience for you.



ULTIMA VAN



Three longitudinal zigzag grooves provide high drainage performance and handling performance on snow and icy roads.

The coupling block pattern design provides stronger load capacity and stable handling performance.

Unique single-oriented pattern design with the 3D zigzag grooves improve the grip of ice and snow roads effectively.

Wheel Inch	Size	Load Index & Speed Rate	Load Range	Ply Rating	Labeling				UPC
					Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
15	195/70R15C	104/102R	D	8PR	C	A	71))	6924590244924
	205/70R15C	106/104R	D	8PR	C	A	71))	6924590244931
	215/70R15C	109/107R	D	8PR	C	A	71))	6924590244948
	225/70R15C	112/110R	D	8PR	C	A	71))	6924590244955
16	185/75R16C	104/102R	D	8PR	C	A	71))	6924590244962
	195/75R16C	107/105R	D	8PR	C	A	71))	6924590244979
	215/75R16C	113/111R	D	8PR	C	A	71))	6924590244986
	205/65R16C	107/105T	D	8PR	C	A	71))	6924590244993
	215/65R16C	109/107R	D	8PR	C	A	71))	6924590245006
	235/65R16C	115/113R	D	8PR	C	A	71))	6924590245013
	235/65R16C	121/119R	E	10PR	C	A	71))	6924590245020

ULTIMA ICE & ULTIMA ICE SUV

The Ultima ICE is specially designed to handle harshest winter. The durable studded tyre provides safe and comfortable driving in extreme cold weather.

- *Outstanding grip on snow and ice
- *Improved water drainage and aquaplaning resistance
- *Adapt to extreme nordic weather conditions.

OUTSTANDING GRIP ON ICE, SNOW AND WET SURFACES
 Numerous lamellae and hem edges provide outstanding grip performance on ice, snow and wet surfaces.

The directional pattern design with reinforcement on the center and the newly optimized pattern groove guiding angle can effectively improve the drainage performance and enhance the wet performance on wet roads. Makes more responsive to steering.

OPTIMUM TRACTION CHARACTERISTICS.
 Adapts to snow of different depths, providing optimum traction characteristics.

Standard Studs

EURO:	8/11
TSMI#:	TSMI-#12
LENGTH:	11mm
Head Dia.:	8mm
COLOR:	Silver
WEIGHT:	2.0g
Qty:	100+



ULTIMA ICE

Wheel Inch	Size	Load Index & Speed Rate	/XL	Labeling				Number of Studs	UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade		
13	175/70R13	82T		C	C	71)	112	6924590244382
14	185/70R14	92T	XL	C	C	71)	120	6924590244399
	175/65R14	86T	XL	C	C	71)	114	6924590244405
	185/65R14	90T	XL	C	C	71)	116	6924590244412
15	195/65R15	95T	XL	C	C	72)	128	6924590244429
	185/65R15	92T	XL	C	C	71)	132	6924590244436
	205/65R15	99T	XL	C	C	72)	132	6924590244443
	185/60R15	88T	XL	C	C	71)	128	6924590244450
16	215/60R16	99T	XL	C	C	72)	128	6924590244467
	205/60R16	96T	XL	C	C	72)	128	6924590244474
	205/55R16	94T	XL	C	C	72)	124	6924590244481
17	215/55R17	98T	XL	C	C	72)	128	6924590244498
	225/55R17	101T	XL	C	C	72)	132	6924590244504
	225/50R17	98T	XL	C	C	72)	128	6924590244511
	225/45R17	94T	XL	C	C	72)	124	6924590244528
18	235/45R18	98T	XL	C	C	72)	128	6924590244672

ULTIMA ICE SUV

Wheel Inch	Size	Load Index & Speed Rate	/XL	Labeling				Number of Studs	UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade		
16	265/70R16	112T		C	C	72)	140	6924590244689
	215/65R16	102T	XL	C	C	72)	132	6924590244535
17	225/65R17	106T	XL	C	C	72)	136	6924590244542
	235/65R17	108T	XL	C	C	72)	136	6924590244559
	265/65R17	116T	XL	C	C	72)	140	6924590244696
	215/60R17	100T	XL	C	C	72)	132	6924590244566
	225/60R17	103T	XL	C	C	72)	132	6924590244573
	265/60R18	114T	XL	C	C	72)	140	6924590244702
18	285/60R18	116T		C	C	75)	140	6924590244580

ANDEAN M/T AM1

Block block shoulder design increases the intensity of the pattern. The high and low shoulder and the inside and outside shoulder are interlaced to greatly improve the passing performance. The interlaced middle block and different design on both side improve the cross-country performance. Fearless road conditions, professional MT tire.

Block-in-block design improves pattern strength, high and low shoulders and inner and outer shoulders are staggered, greatly improving tyre passability

The high and low dislocation design of the pattern block improves the grip of the tyre, and the zigzag steel sheet design improves the grip of the tyre

Large groove design, beautiful appearance and improve tyre rigidity, which is beneficial for tyre throwing mud and stones

ANDEAN M/T AM1



Size	Load Index & Speed Rate	Max.Load	Max. Pressure	UPC
35*12.5R17LT	121Q	1450	450	6924590246218
33*12.5R18LT	118Q	1320	450	6924590246096
35.12.5R18LT	123Q	1550	450	6924590246102
LT235/75R15	116/113Q 110/107Q	1250/1150	550	6924590246119
30X9.5R15LT	104Q	900	350	6924590246126
31X10.50R15LT	109Q	1030	350	6924590246133
LT245/75R16	120/116Q 114/111Q	1380/1260	550	6924590246140
LT265/75R16	123/120Q 119/116Q	1550/1400	550	6924590246157
LT285/75R16	126/123Q	1700/1550	550	6924590246164
LT265/70R17	121/118Q	1450/1320	550	6924590246171
LT285/70R17	121/118Q	1450/1320	550	6924590246188
33X12.50R20LT	114Q	1180	450	6924590246195
35X12.50R20LT	121Q	1450	450	6924590246201

ULTIMA PLUS

COMING SOON



Size	Load Index & Speed Rate	Max.Load	Max. Pressure	UPC
175/70R13	82T	475	300	6924590246362
195/65R15	91V	616	300	6924590246379
205/55R16	91V	615	300	6924590246386
215/55ZR16	97W XL	730	340	6924590246393
225/45ZR17	94W XL	670	340	6924590246409
235/55ZR17	103W XL	875	340	6924590246416

DELMAX PASSENGER & LIGHT TRUCK STANDARD LIMITED WARRANTY

1. WHAT IS WARRANTED AND WHO IS ELIGIBLE UNDER THIS WARRANTY?

Best Choice International Trade Co., LTD., headquartered at 3rd Floor, North Anhua Building, No. 8 Yinghua West Street, Chaoyang District, Beijing, China 100029 ("Best Choice"), warrants to the original consumer tyre purchaser that all DELMAX passenger and light truck tyres bought either directly or through an authorized DELMAX dealer which are mounted on cars or light trucks and become unserviceable for any reason within the manufacturer's control. DELMAX consumer products are warranted to be free from defects in materials and workmanship subjected terms, conditions and limitations as stated below. If our examination of a warrant-able product determines that the product has failed due to defect in materials or workmanship, we will make a reasonable allowance toward the purchase price of a new product or other adjustment within our discretion. Adjustments will be made on a pro-rate basis determined by the amount of usage or service received from the product and will be based on the most recent purchase price (proof of purchase is required). This warranty is not transferable.

TERMS, CONDITIONS AND LIMITATIONS

Under no circumstances is this limited warranty a representation that a tyre failure cannot occur. This limited warranty is only applicable to products sold and used on consumer vehicles.

Passenger tyres are under 4 years from date of production.

Light Truck tyres (LT designation) are under limited warranty if less than 4 years from date of production, or less than 3 years from date of purchase (purchase proof is needed).

The life of the original usable tread has worn down to 2/32" remaining (worn down to the wear bar indicators in the tread grooves).

A. Within the first 2/32" of original usable tread, Best Choice will replace such tyre with a comparable DELMAX new tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer.

B. Beyond the first 2/32" of the original usable tread, a pro rate credit will be given toward the purchase of a comparable new DELMAX tyre. Applicable taxes, costs of mounting and balancing and other service charges are payable by the consumer.

Example: Amount of credit will be calculated by the following formula:

CR = Remaining Tread Depth = $7 = 56\% \times \$75.00 = \42 Credit **

Original Usable Tread Depth 11

** refer to Adjustment credit Percentage table to obtain actual percentage amount when calculating.

C. Adjustment on out-of-round or out-of-balance conditions is allowed only during the first 1/32" of the original tread depth within the first 6 months from the date of purchase, supported with proof of the out-of-round or out-of-balance conditions for every passenger or light truck tyre. Best Choice will replace such tyre with a comparable new DELMAX tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer owner. A set of 4 tyres from the same vehicle will not be accepted for out-of-round or out-of-balance claims.

WHAT IS NOT COVERED?

A. Tyre adjustments will be based on the remaining tread depth. Tyres worn to 2/32" tread depth or to the tread wear indicator bars are deemed to have served their full useful tread life and are not adjustable.

B. Tyre returned for out-of-round or ride disturbance conditions beyond 2/32" of wear will not be considered for adjustment.

C. Tyres marked "NA" (Non-Adjustable) specifically are excluded from this limited warranty.

D. The cost applicable to taxes, mounting, balancing and any other service charges are excluded.

E. Tyre returned as a set will not be considered. All tyres must have a warrantable condition.

F. Tyres that have been altered in any way including retreaded, altered and repaired improperly to Rubber manufactures Association standards or with section repairs or with self-valancing plug are excluded from the limited warranty.

G. Tyres without DOT number are excluded from the limited warranty.

H. Tyres with tyre fill, sealant, balancing materials, fillers inside the tyre, tyres notched, buffed, re-grooved or cut are excluded from the limited warranty.

I. Ozone or weather cracking after 2 years from the date of purchase

J. Tyre without production date.

K. Loss of time, or use, inconvenience, or any incidental or consequential damage.

L. Tyres that have been misapplied due to insufficient speed rating, undersized, or oversized.

M. Tyres that have become unserviceable due to chemical corrosion, vandalism, chains and flat spotting.

N. Tyres involved in race activities.

O. Uneven wear characteristics caused by mechanical irregularity in the vehicle such as misalignment, over inflation and under-inflation

P. Uneven or rapid wear more than 2/32nds across the tread on the same tyre

Q. Tyre damage or irregular wear due to road hazard, including punctures, cuts, impact break, bulge, snag, stone drill and car collision.

R. Continued use while run flat or acute under-inflation.

S. Improper use, without limitation, improper inflation, overloading, allocated to improper rim, tyre/wheel balance, worn suspension components, improper mounting or dismounting, misuse, misapplication and fire.

OWNERS OBLIGATIONS

A. Present tyre to the DELMAX dealer from whom you bought this tyre.

B. Complete and sign a DELMAX adjustment claim form at DELMAX dealer you bought the claimed tyres.

C. Pay the amounts due for a new tyre, less the amount of the credit, including taxes, mounting, balancing, valve stem if needed and any other service that you might require.

2. REPLACEMENT WARRANTY

If you receive a replacement tyre under the DELMAX warranty, it will be covered by the manufacturer's warranty and the supplemental limited warranty that Best Choice International Trade Co. LTD gives on that tyre.

This is the only expressed warranty given by Best Choice International Trade Co. LTD applicable to DELMAX replacement tyres. Best Choice does not make any other express warranty or implied warranty of merchant ability or fitness for a particular purpose.

Best Choice does not authorize any other people, including authorized dealers, to change this warranty or create any other obligation in connection with DELMAX products. Best Choice will not do anything other than what is stated in this warranty if a defect is found to exist in a DELMAX replacement radial tyre. All other remedies are excluded, including any obligation or liability on the part of Best Choice for consequential or incidental damages (such as loss of use of car, loss of time or inconvenience) arising out of defect.

Legal Rights:

All implied warranties, included any warranty of merchantability or fitness for a particular purpose, are expressly limited to the duration of this written limited warranty. All obligations or liabilities for indirect, incidental or consequential damages are hereby excluded to the extent permitted by law, including economic loss, loss of profit, loss of vehicle, loss of time, inconvenience, personal injury or death. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply. This limited warranty gives the customer legal rights that may vary from state to state. This is the only express warranty applicable to items sold by Best Choice International Trade Co. LTD, and supersedes the terms of any previous warranty. Best Choice International Trade Co. LTD neither assumes nor authorizes anyone to assume for it any other warranty.

Best Choice International Trade Co. LTD