



HONGE

Medical Power Supply Manufacturer

Specialized in medical power supply for more than 10 years

Provide medical power supply and overall solutions
to outstanding medical device manufacturers

www.hongypower.com

ABOUT US

Shenzhen Hongyi Electronic Technology Co., Ltd. was established in 2014. A high-tech enterprise that develops, produces and sells HONGE brand medical switching power supplies, medical power adapters and customized medical power supplies. Hongyi Technology insists on serving customers as its own responsibility and is based on independent research and development.

Hongyi Technology has a strong R&D, production, quality control and management team with a large number of elites in the power supply industry. It has a R&D and production base of more than 2,000 square meters and nearly 100 employees. Passed medical-level ISO9001 quality system certification in 2015, ROHS management system has been introduced since 2015, and most products have passed CE, CB, TUV, UL, CCC, PSE, CSA, KC and other certifications, exported to Europe, America, South Korea, more than 20 countries and regions including Southeast Asia.

There are more than 300 kinds of open frame standard medical switching power supply and medical power adapter products, covering power from 5W to 3000W, widely used in life support equipment, vitro diagnostic equipment, medical imaging equipment, home medical equipment and energy equipment.

Welcome to inquiry us, we will provide you with professional consultation suggestions and plans. It is our consistent purpose to be your company's long-term strategic partner!



Lighthouse				
Vision	To be a world-class power supply company			
Purpose	Achieve customers and create a win-win cooperation			
Values	Integrity, Gratitude		Innovation, Responsibility	
Mission	Lead the industry and contribute to the global medical power industry			
Business Philosophy	Customer Oriented	Quality First	Keep Iterating	Keep Improving

COMPANY ENVIRONMENT



PRODUCTION LINE

CONTENTS DISPLAY

Company Information >>

- ◆ About us.....01
 - Environment.....02
 - Contents.....03
 - Certification.....04
 - Application.....05
- ◆ Customization.....06

Product List

- HY06/HY15/HY18E/HY24E/HY25.....07
- HY36E/HY48C/HY60/HY72/HY98.....08
- HY150/HY200/HY-DC162/HY-HF10B/HY-HF15.....09
- HY-HF24/HY-HF25 HY-HF25S/HY-HF45 HY-HF60.....
- HY-HF90S/HY-HF120S/HY-HF200/HY-HF238/HY-HF300.....11
- HY-HFM50/HY-HFM65/HY-HFM85/HY-HFM168/HY-HFM230.....12
- HY-HFM300/HY-HFM300C/HY-HFM460/HY-HFM572/HY-HFM572C.....13
- HY-HFM600/HY-HFM700/HY-HFM1000.....14

CERTIFICATION

Management System

Shenzhen Hongyi Electronic Technology Co., Ltd. pay great importance to the construction of quality management field, continuously supplies high-quality products to partners, and introduces advanced production technology, management model, in line with international standards, with more than 10 years of development has obtained professional certifications from multiple third-party organizations. Established the entire process from procurement, production, factory and after-sales the quality control system and quality inspection standards make Hongyi Technology gained more recognition in domestic and foreign markets.



Shenzhen Hongyi Electronic Technology Co., Ltd. is committed to building a global sales network. In order to promote international trade cooperation, the product has been rigorously tested and has passed international safety standard certifications such as CE, FCC, and UL to ensure product safety and stability, it has also won market trust for Hongyi Technology and improved the market competitiveness of its products.





Sphygmomanometer



Phototherapy Device



Ventilator



Oxygen Concentrator



CPR Machine



Ultrasound Equipment



Radio Frequency Ablation Device



Hemodialysis Machine



IVD Machine



Electric Hospital Bed



HF Electrosurgical Generator



Semi-automatic External Defibrillator



Customized power supply solutions for radio frequency and high frequency surgical equipment

- 1: Integrated circuit design, low-power constant voltage output and high-power adjustable voltage and current output
- 2: Small size, high reliability, high efficiency
- 3: The output supports a variety of switch control methods
- 4: Isolated outputs, with OVP, OCP, OLP, SCP protection, stable working performance
- 5: Comply with medical safety regulations and EMC certification standards

Customized power supply solution for CPR machine

- 1: With motor induced electromotive force clamping function, suitable for motors class load usage
- 2: LLC+PFC design circuit, high efficiency and high reliability
- 3: Full range 100-240Vac input voltage
- 4: Perfect protection function, stable working performance
- 5: Comply with medical safety regulations and EMC certification standards



Customized power supply solutions for hemodialysis machines and blood purification equipment

- 1: Meet the characteristics of the peak current at the start of the drive motor
- 2: With battery charge and discharge management function and battery power prompt
- 3: Extremely low battery standby leakage current
- 4: Full range 100-240Vac input voltage
- 5: Comply with medical safety regulations and EMC certification standards

◆ HY06



MODEL: HY06
OUTPUT VOLTAGE: 5-20Vdc
OUTPUT PEAK POWER: 7.5W
SIZE(mm): 62x40x25

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY06-005	5V	1A	5W
HY06-006	6V	0.83A	5W
HY06-009	9V	0.55A	5W
HY06-012	12V	0.42A	5W
HY06-015	5V	0.33A	5W
HY06-020	20V	0.25A	5W

HY15



MODEL: HY15
OUTPUT VOLTAGE: 5-24Vdc
OUTPUT PEAK POWER: 15W
SIZE(mm): 62x40x25

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY15-005	5V	2A	10W
HY15-009	9V	1.66A	15W
HY15-012	12V	1.25A	15W
HY15-015	15V	1A	15W
HY15-018	18V	0.83A	15W
HY15-024	24V	0.62A	15W

HY18E



MODEL: HY18E
OUTPUT VOLTAGE: 5-24Vdc
OUTPUT PEAK LOAD: 18W
SIZE(mm): 59x39x50

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY18E-050250J	5V	2.5A	12.5W
HY18E-090166J	9V	1.66A	15W
HY18E-120100J	12V	1.25A	15W
HY18E-150100J	15V	1A	15W
HY18E-180083J	18V	0.83A	15W
HY18E-240062J	24V	0.62A	15W

HY24E



MODEL: HY24E
OUTPUT VOLTAGE: 5-36Vdc
OUTPUT PEAK LOAD: 36W
SIZE(mm): 71x45x54

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY24E-050400J	5V	4A	20W
HY24E-090220J	9V	2.2A	20W
HY24E-120200J	12V	2A	24W
HY24E-150160J	15V	1.6A	24W
HY24E-200120J	20V	1.2A	24W
HY24E-240100J	24V	1A	24W
HY24E-360066J	36V	0.66A	24W

HY25



MODEL: HY25
OUTPUT VOLTAGE: 5-36Vdc
OUTPUT PEAK LOAD: 36W
SIZE(mm): 62x40x25

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY25-005	5V	4A	20W
HY25-009	9V	3.33A	30W
HY25-012	12V	2.5A	30W
HY25-015	15V	2A	30W
HY25-020	20V	1.5A	30W
HY25-024	24V	1.25A	30W
HY25-036	36V	0.83A	30W

HY36E



MODEL: HY36E
OUTPUT VOLTAGE: 5-48Vdc
OUTPUT PEAK LOAD: 60W
SIZE(mm): 71x45x54

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY36E-090400J	9V	4A	36W
HY36E-120300J	12V	3A	36W
HY36E-150240J	15V	2.4A	36W
HY36E-200180J	20V	1.8A	36W
HY36E-240150J	24V	1.5A	36W
HY36E-360100J	36V	1A	36W
HY36E-480750J	48V	0.75A	36W

HY48C



MODEL: HY48C
OUTPUT VOLTAGE: 5-48Vdc
OUTPUT PEAK LOAD: 72W
SIZE(mm): 90x48x50

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY48C-090500C	9V	5A	45W
HY48C-120400C	12V	4A	48W
HY48C-150320C	15V	3.2A	48W
HY48C-200240C	20V	2.4A	48W
HY48C-240200C	24V	2A	48W
HY48C-360133C	36V	1.33A	48W
HY48C-480100C	48V	1A	48W

HY60



MODEL: HY60
OUTPUT VOLTAGE: 5-48Vdc
OUTPUT PEAK LOAD: 72W
SIZE(mm): 120x53x32

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY60-005	5V	6A	30W
HY60-012	12V	5A	60W
HY60-014	14V	4.28A	60W
HY60-019	19V	3.15A	60W
HY60-024	24V	2.5A	60W
HY60-036	36V	1.66A	60W
HY60-048	48V	1.25A	60W

HY72



MODEL: HY72
OUTPUT VOLTAGE: 5-48Vdc
OUTPUT PEAK LOAD: 150W
SIZE(mm): 121x63x33

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY72-005	5V	8A	40W
HY72-012	12V	6A	72W
HY72-015	15V	4.8A	72W
HY72-024	24V	3A	72W
HY72-028	28V	2.57A	72W
HY72-036	36V	2A	72W
HY72-048	48V	1.5A	72W

HY98



MODEL: HY98
OUTPUT VOLTAGE: 12-54Vdc
OUTPUT PEAK LOAD: 200W
SIZE(mm): 141x60x34

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY98-012	12V	10A	120W
HY98-015	15V	8A	120W
HY98-018	18V	6.66A	120W
HY98-020	20V	6A	120W
HY98-024	24V	5A	120W
HY98-036	36V	3.33A	120W
HY98-048	48V	2.5A	120W
HY98-054	54V	2.22A	120W

◆HY150



MODEL: HY150
OUTPUT VOLTAGE: 12-54Vdc
OUTPUT PEAK LOAD: 225W
SIZE(mm): 172x72x33.6

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY150-012	12V	12.5A	150W
HY150-015	15V	10A	150W
HY150-018	18V	8.33A	150W
HY150-019	19V	7.9A	150W
HY150-020	20V	7.5A	150W
HY150-024	24V	6.25A	150W
HY150-036	36V	4.16A	150W
HY150-048	48V	3.12A	150W
HY150-054	54V	2.77A	150W

◆HY200



MODEL: HY200
OUTPUT VOLTAGE: 12-54Vdc
OUTPUT PEAK LOAD: 360W
SIZE(mm): 191x78x44

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY200-012	12V	16.6A	200W
HY200-015	15V	13.3A	200W
HY200-018	18V	11.1A	200W
HY200-020	20V	10A	200W
HY200-024	24V	8.33A	200W
HY200-036	36V	5.55A	200W
HY200-048	48V	4.16A	200W
HY200-054	54V	3.7A	200W

◆HY-DC162



MODEL: HY-DC162
INPUT VOLTAGE: 10-30Vdc
OUTPUT VOLTAGE: 12-24Vdc
OUTPUT PEAK LOAD: 180W
SIZE(mm): 114x54x33

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-DC162-012	12V	10A	120W
HY-DC162-015	15V	8A	120W
HY-DC162-018	18V	6.66A	120W
HY-DC162-019	19V	6.31A	120W
HY-DC162-020	20V	6A	120W
HY-DC162-024	24V	5A	120W

◆HY-HF10B



MODEL: HY-HF10B
OUTPUT VOLTAGE: 5-24Vdc
OUTPUT PEAK LOAD: 15W
SIZE(mm): 80x40x23

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF10B-005	5V	2A	10W
HY-HF10B-009	9V	1.11A	10W
HY-HF10B-012	12V	0.83A	10W
HY-HF10B-015	15V	0.63A	10W
HY-HF10B-020	20V	0.5A	10W
HY-HF10B-024	24V	0.41A	10W

◆HY-HF15



MODEL: HY-HF15
OUTPUT VOLTAGE: 5-24Vdc
OUTPUT PEAK LOAD: 20W
SIZE(mm): 48.6x30.5x25

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF15-005	5V	3A	15W
HY-HF15-009	9V	1.66A	15W
HY-HF15-012	12V	1.25A	15W
HY-HF15-015	15V	1A	15W
HY-HF15-020	20V	0.75A	15W
HY-HF15-024	24V	0.62A	15W

◆HY-HF24



MODEL: HY-HF24
OUTPUT VOLTAGE: 5-36Vdc
OUTPUT PEAK LOAD: 35W
SIZE(mm): 76x40x26

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF24-005	5V	3A	15W
HY-HF24-009	9V	2.66A	24W
HY-HF24-012	12V	2A	24W
HY-HF24-015	15V	1.6A	24W
HY-HF24-020	20V	1.25A	24W
HY-HF24-024	24V	1A	24W
HY-HF24-036	36V	0.66A	24W

◆HY-HF25



MODEL: HY-HF25
OUTPUT VOLTAGE: 5-36Vdc
OUTPUT PEAK LOAD: 37W
SIZE(mm): 65x43.6x26

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF25-005	5V	4A	20W
HY-HF25-009	9V	2.77A	25W
HY-HF25-012	12V	2.08A	25W
HY-HF25-015	15V	1.66A	25W
HY-HF25-020	20V	1.25A	24W
HY-HF25-024	24V	1A	24W
HY-HF25-036	36V	0.69A	25W

◆HY-HF25S



MODEL: HY-HF25S
OUTPUT VOLTAGE: 5-36Vdc
OUTPUT PEAK LOAD: 42W
SIZE(mm): 70x40x36

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF25S-005	5V	4A	20W
HY-HF25S-009	9V	3.33A	30W
HY-HF25S-012	12V	2.5A	30W
HY-HF25S-015	15V	2A	30W
HY-HF25S-020	20V	1.5A	30W
HY-HF25S-024	24V	1.25A	30W
HY-HF25S-036	36V	0.83A	30W

◆HY-HF45



MODEL: HY-HF45
OUTPUT VOLTAGE: 5-48Vdc
OUTPUT PEAK LOAD: 60W
SIZE(mm): 76.2x50.8x29.5

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF45-005	5V	6A	30W
HY-HF45-009	9V	4A	36W
HY-HF45-012	12V	3.75A	45W
HY-HF45-015	15V	3A	45W
HY-HF45-024	24V	1.87A	45W
HY-HF45-036	36V	1.25A	45W
HY-HF45-048	48V	0.93A	45W

◆HY-HF60



MODEL: HY-HF60
OUTPUT VOLTAGE: 5-48Vdc
OUTPUT PEAK LOAD: 84W
SIZE(mm): 101.6x50.8x29.5

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF60-005	5V	7A	35W
HY-HF60-009	9V	5A	45W
HY-HF60-012	12V	5A	60W
HY-HF60-015	15V	4A	60W
HY-HF60-020	20V	3A	60W
HY-HF60-024	24V	2.5A	60W
HY-HF60-036	36V	1.66A	60W
HY-HF60-048	48V	1.25A	60W

◆HY-HF90S



MODEL: HY-HF90S
OUTPUT VOLTAGE: 5-48Vdc
OUTPUT PEAK LOAD: 130W
SIZE(mm): 115x53x32

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF90S-005	5V	10A	50W
HY-HF90S-009	9V	8A	72W
HY-HF90S-012	12V	6.25A	75W
HY-HF90S-015	15V	5A	75W
HY-HF90S-018	18V	4.16A	75W
HY-HF90S-024	24V	3.12A	75W
HY-HF90S-029	29V	2.58A	75W
HY-HF90S-048	48V	1.56A	75W

◆HY-HF120S



MODEL: HY-HF120S
OUTPUT VOLTAGE: 5-48Vdc
OUTPUT PEAK LOAD: 250W
SIZE(mm): 101.6x50.8x29.6

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF120S-005	5V	13A	65W
HY-HF120S-009	9V	13A	117W
HY-HF120S-012	12V	10A	120W
HY-HF120S-015	15V	8A	120W
HY-HF120S-020	20V	6A	120W
HY-HF120S-024	24V	5A	120W
HY-HF120S-036	36V	3.33A	120W
HY-HF120S-048	48V	2.5A	120W

◆HY-HF200



MODEL: HY-HF200
OUTPUT VOLTAGE: 12-72Vdc
OUTPUT PEAK LOAD: 300W
SIZE(mm): 127x76.2x29

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF200-012	12V	16.6A	200W
HY-HF200-015	15V	13.3A	200W
HY-HF200-018	18V	11.1A	200W
HY-HF200-020	20V	10A	200W
HY-HF200-024	24V	8.33A	200W
HY-HF200-036	36V	5.55A	200W
HY-HF200-048	48V	4.16A	200W
HY-HF200-072	72V	2.77A	200W

◆HY-HF238



MODEL: HY-HF238
OUTPUT VOLTAGE: 12-72Vdc
OUTPUT PEAK LOAD: 400W
SIZE(mm): 151x76.2x38

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF238-012	12V	20.83A	250W
HY-HF238-015	15V	16.6A	250W
HY-HF238-018	18V	13.8A	250W
HY-HF238-020	20V	12.5A	250W
HY-HF238-024	24V	10.4A	250W
HY-HF238-036	36V	6.9A	250W
HY-HF238-048	48V	5.2A	250W
HY-HF238-072	72V	3.47A	250W

◆HY-HF300



MODEL: HY-HF300
OUTPUT VOLTAGE: 12-72Vdc
OUTPUT PEAK LOAD: 550W
SIZE(mm): 127x76.2x38

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HF300-012	12V	25A	300W
HY-HF300-018	18V	16.66A	300W
HY-HF300-024	24V	12.5A	300W
HY-HF300-031	31V	9.67A	300W
HY-HF300-036	36V	8.34A	300W
HY-HF300-048	48V	6.25A	300W
HY-HF300-054	54V	5.56A	300W
HY-HF300-072	72V	4.16A	300W

HY-HFM50



MODEL: HY-HFM50
RATED POWER: 78W
PEAK POWER: 100W
SIZE(mm): 101.6x50.8x35.5

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM50	+ 5V	1A
	- 5V	0.2A
	+ 12V	2A
	+ 16V	3A
HY-HFM50A	+ 5V	2A
	- 5V	0.2A
	+ 12V	3A
	+ 16V	1A

HY-HFM65



MODEL: HY-HFM65
RATED POWER: 55W
PEAK POWER: 70W
SIZE(mm): 130x91x30

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM65	+ 5V	2.5A
	+ 12V	2.5A
	-5V	0.2A
	+ 5V	3A
HY-HFM65A	+ 12V	3A
	+ 16.8V	0.6A

HY-HFM85



MODEL: HY-HFM85
RATED POWER: 110W
PEAK POWER: 117W
SIZE(mm): 109.5x63x27

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM85	12V	2A
	0-3.5V	0-25A CC
HY-HFM85A	24V	2A
	0-5V	0-15A CC
HY-HFM85B	24V	3A
	0-3.5V	13.5A CC
HY-HFM85C	12V	2A
	0-9V	0-7A CC

HY-HFM168



MODEL: HY-HFM168
RATED POWER: 155W
(25CFM FAN COOLING)
PEAK POWER: 175W
SIZE(mm): 113x78x34

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM168	12V	2A
	0-6.5V	0-20A CC
HY-HFM168A	12V	2A
	0-24V	0-6A CC
HY-HFM168B	12V	2A
	12V	10A
HY-HFM168C	12V	2A
	36V	4A

HY-HFM230



MODEL: HY-HFM230
RATED POWER: 235W
PEAK POWER: 331W
SIZE(mm): 188x108x42

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM230	+24V	6A
	+12V	3A
	+ 5V	3A
	+12V1	1A
	-12V	1A
	DC110V	0.1A


HY-HFM300



MODEL: HY-HFM300
RATED POWER: 336W
(25CFM FAN COOLING)
PEAK POWER: 360W
SIZE(mm): 178x108x42

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM300	12V	3A
	0-7V	0-40A CC
HY-HFM300-B	12V	3A
	0-12V	0-25A CC
HY-HFM300-C	12V	3A
	0-15V	0-20A CC
HY-HFM300-D	12V	3A
	5V	50A

HY-HFM300C



MODEL: HY-HFM300C
RATED POWER: 336W
(25CFM FAN COOLING)
PEAK POWER: 360W
SIZE(mm): 178x108x42

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM300C-048	12V	3A
	0-48V	6A
HY-HFM300C-060	12V	3A
	0-60V	5A
HY-HFM300C-090	12V	3A
	0-90V	3A
HY-HFM300C-120	12V	3A
	0-120V	2.5A

HY-HFM460



MODEL: HY-HFM460
RATED POWER: 486W
(25CFM FAN COOLING)
PEAK POWER: 510W
SIZE(mm): 178x108x42

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM460	12V	3A
	0-12V	0-36A CC
HY-HFM460-B	12V	3A
	0-18V	0-25A CC
HY-HFM460-C	12V	3A
	0-21V	0-20A CC
HY-HFM460-D	12V	3A
	6V	60A

HY-HFM572



MODEL: HY-HFM572
RATED POWER: 561W
(25CFM FAN COOLING)
PEAK POWER: 585W
SIZE(mm): 178x108x60

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM572-1240	12V	3A
	0-12V	0-40A CC
HY-HFM572-2125		3A
	0-21V	0-25A CC
HY-HFM572-2720	12V	3A
	0-27V	0-20A CC
HY-HFM572-4810	12V	3A
	0-48V	0-10A CC

HY-HFM572C



MODEL: HY-HFM572C
RATED POWER: 636W
(25CFM FAN COOLING)
PEAK POWER: 660W
SIZE(mm): 178x108x60

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM572C-048	12V	3A
	0-48V	12A
HY-HFM572C-150	12V	3A
	0-150V	4A
HY-HFM572C-200	12V	3A
	0-200V	3A
HY-HFM572C-600	12V	3A
	0-600V	1.2A

◆ HY-HFM600



MODEL: HY-HFM600
OUTPUT VOLTAGE: 24-72Vdc
OUTPUT PEAK LOAD: 800W
SIZE(mm): 204x105x63

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HFM600-024	5V	2A	610W
	24V	25A	
HY-HFM600-028	5V	2A	610W
	28V	21.42A	
HY-HFM600-031	5V	2A	610W
	31V	19.35A	
HY-HFM600-036	5V	2A	610W
	36V	16.66A	
HY-HFM600-048	5V	2A	610W
	48V	12.5A	
HY-HFM600-054	5V	2A	610W
	54V	11A	
HY-HFM600-060	5V	2A	610W
	60V	10A	
HY-HFM600-072	5V	2A	610W
	72V	8.33A	

◆ HY-HFM700



MODEL: HY-HFM700
INPUT VOLTAGE: 176-264Vac
RATED POWER: 711W
(25CFM FAN COOLING)
PEAK POWER: 735W
SIZE(mm): 178x108x60

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT
HY-HFM700-1740	12V	3A
	0-17V	0-40A CC
HY-HFM700-2725	12V	3A
	0-27V	0-25A CC
HY-HFM700-3618	12V	3A
	0-36V	0-18A CC
HY-HFM700-4814	12V	3A
	0-48V	0-14A CC

◆ HY-HFM1000



MODEL: HY-HF1000
OUTPUT VOLTAGE: 24-72Vdc
OUTPUT PEAK LOAD: 1500W
SIZE(mm): 221x115x44

MODEL	OUTPUT VOLTAGE	OUTPUT CURRENT	RATED POWER
HY-HFM1000-024	12V	5A	1060W
	24V	41.6A	
HY-HFM1000-028	12V	5A	1060W
	30V	33.3A	
HY-HFM1000-036	12V	5A	1060W
	36V	27.7A	
HY-HFM1000-048	12V	5A	1060W
	48V	20.8A	
HY-HFM1000-054	12V	5A	1060W
	54V	18.51A	
HY-HFM1000-060	12V	5A	1060W
	60V	16.66A	
HY-HFM1000-072	12V	5A	1060W
	72V	13.88A	
HY-HFM1000-4525	12V	5A	1185W
	28-45V	0-25A CC	

CUSTOMER ORIENTED

QUALITY FIRST

KEEP ITERATING

KEEP IMPROVING

HONGE

Shenzhen Hongyi Electronic Technology Co., Ltd

Address : 3rd Building, Ruibang Industrial Park, Laocun Road,
Tangtou Community, Shiyan Street, Baoan District,
Shenzhen, Guangdong, China

Phone : +86-755-85254084

Email : sales@hongypower.com

Website : www.hongypower.com

