


Premline Recessed Linear Light



Product Description:

This compact and high-performing recessed version brings eye-pleasing illumination to architectural and commercial interiors. this linear light lends a clean aesthetic to offices, shopping mall, airport circulation area, long corridor. The Premline recessed linear light can be quickly and easily linked together to create runs of light that appear seamless with roll-able PC diffuser.

Product Features:

- High efficiency up to 120lm/w
- Anti-glare with micro-prismatic optics UGR<22
- Aesthetic compact design,end cap without screw
- Seamless Linkable version with roll-able PC diffuser optional
- Easy installation thanks to screw lifting fixing bracket
- HCL intelligent control with Casambi , Presence and Daylight harvesting Sensor and Emergency kit optional


Product Application:

- Office & Education: offices, open-plan offices, staff training facilities, conference rooms, libraries, classrooms
- Retail & Hospitality: checkout areas, shopping malls,supermarket


Product Parameters:

SPECIFICATION	1.2M	1.5M	3.0M
Power Consumption	27W	34W	48W
Lumens Delivered	3200lm	4000lm	6000 lm
Efficiency	120 lm/W		
Color Temperature	3000K / 4000K/ 3000K-6500K(Turnable White)		
CRI	≥80 (Ra90 Optional)		
SDCM	≤3		
Lumen Maintenance	L80≥50,000hrs @ Ta=25°C		
Input Voltage	200-240V/AC 50/60Hz		
Power Factor	> 0.9		
THD	< 15%		
Dimming	DALI Dimmable		
Beam Angle	80°		
Material	Housing: AL, Diffuser: PC		
Finish Color	Matt White(RAL9016) / Matt Black(RAL9005)		
IP Protection	IP20		
IK Protection	IK02		
Certificate	CE,RoHS,SAA,CB, ENEC		
Warranty	5 Years		

Product Dimension:



Photometric Diagram:



direct light

Dimension			
PRODUCT	L(mm)	W(mm)	H(mm)
PLF2-D 120	1229	90	85
PLF2-D 150	1529	90	85
PLF2-D 300	3029	90	85

Product Packing:

Individual version packaging information

Length	QTY/CTN	Carton Size	N.W.	G.W.
1.2m	4 PCS	138x22x27.5cm	14.2kg	16.3kg
1.5m	4 PCS	170x22x27.5cm	17.2kg	19.3kg
3.0m	2 PCS	321x24x27.5cm	17.2kg	19.3kg

Continuous version packaging information

Length	QTY/CTN	Carton Size	N.W.	G.W.
1.2m	4 PCS	142x22x27.5cm	16.3kg	18.5kg
1.5m	4 PCS	172x22x27.5cm	19.2kg	21.3kg
3.0m	2 PCS	323x24x13.5cm	19.2kg	21.3kg