

TEST REPORT

Applicant : Sundopt LED Lighting Co., Ltd.

Address : Bldg 8-6#, TongFuYu Industrial Park Ai Qun Rd Shiyan Town Baoan District Shenzhen, Guangdong 518108

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name(s) : LED Luminaires

Trade Mark : SUNDOPT

Tested Model No. : PLF1-I120- 052C-I0/PLF1-I120- 052C-I0

Model List : See appendix(See page 17)

Sample Received Date : December 24, 2024

Testing Period : December 24, 2024 ~ December 27, 2024

Date of Report : December 27, 2024

Testing Location : 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
As specified by client, to screen the 242 substances of very high concern

Test Requested : (SVHC) under Regulation (EC) No 1907/2006 of REACH in the submitted sample(s).

Test Method/Test Result(s) : Please refer to the following page(s).

Summary : According to the analytical results, concentrations of all tested SVHC (see the candidate list) is less than 0.1%(w/w) in the submitted sample(s).


Signed for and on behalf of LCS

Terry.Luo

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity


**Sample Description**

Sample No.	Sample Description
1	Black plated silver metal shell
2	Silver metal shell with white coating
3	White translucent plastic board
4	White translucent plastic sheet
5	Orange body (LED)
6	Silver metal plate with white coating
7	Yellow body (LED)
8	Silver metal screw
9	Silver metal screw
10	White plastic shell
11	White translucent plastic shell
12	Silver metal plate with white coating
13	Colorless and transparent plastic joint
14	Golden metal nut
15	White soft plastic cable fixing component
16	Silver metal plate with white coating
17	Silver metal connector
18	Silver metal steel ball
19	White cotton thread
20	White plastic cable fixing component
21	White plastic wire cover (outer)
22	Silver metal pin
23	Silver metal pins
24	White soft plastic plug housing
25	Yellow/green plastic wire cover
26	Blue plastic wire cover
27	Copper colored metal wire core
28	Brown plastic wire cover
29	Red plastic wire cover
30	Black plastic wire cover
31	Grey plastic wire cover
32	Orange plastic plug
33	Colorless and transparent plastic plug housing
34	Silver metal line card port
35	Silver metal shrapnel

TRF-4-R-029 . A/0




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



36	Silver metal wire core
37	Silver metal switch case
38	Golden metal pillar
39	Black plastic button
40	Silver metal nut
41	tin solder
42	Green PCB board
43	Red plastic shell
44	Black plastic shell
45	White soft plastic sleeve
46	Silver metal pins
47	Silver metal shell
48	Black film
49	Blue heat dissipation pad
50	Yellow tape
51	Black plastic skeleton
52	Silver metal aluminum shell
53	Black body (diode)
54	Silver metal pins
55	Yellow enameled wire
56	Red plastic port shell
57	Black plastic port shell
58	Red plastic switch housing
59	Black body (IC)
60	Orange plastic port shell
61	Red plastic casing (fuse)
62	Yellow plastic casing (capacitor)
63	Copper colored metal wire
64	Red plastic shell (C2)
65	Blue body (capacitor)
66	Blue plastic port shell
67	Green PCB board
68	Black body (U7)
69	tin solder
70	Black body (BD5)
71	Black body (R35)





Test No.	Sample Description
A1	Mixed test, all parts (Metal)

Test No.	Sample Description
B1	Mixed test, all parts (Nonmetal)

Test Result(s)

Batch	No.	Substance Name(s)	CAS No.	EC No.	Concentration (%)		Report Limit (%)
					A1 #	B1 #	
-	-	All tested SVHC (See the candidate list)	-	-	N.D.	N.D.	-

Test Method:

Refer to US EPA 3052:1996, US EPA 3050B:1996, US EPA 3060A:1996, US EPA 3550C:2007, US EPA 3540C:1996, ISO 17353:2004(E), EN 14582:2016 for sample pretreatment.

Analyzed by ICP-OES, UV-Vis, IC, HPLC, GC-MS, GC-FID and LC-MS-MS.

Sample/Part Description

Sample No.	Sample/Part Description	Number of SVHC
A1	Mixed test, all parts (Metal) #	73
B1	Mixed test, all parts (Nonmetal) #	242


Note:

- The table of tested result(s) only shows detected SVHC, and SVHC that below Report Limit are not reported. Please refer to the Candidate List of SVHC on next pages.
- w/w %=weight by weight; 0.1%=1000mg/kg=1000ppm
- N.D.=Not Detected(<Report Limit)
- *: Concentration value of the substance by the conversion from the test results of certain elements.
Concentration value of Bis(tributyltin)oxide(TBTO), Dibutyltin dichloride(DBTC), 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(DOTE), Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(reaction mass of DOTE and MOTE), Dibutylbis(pentane-2,4-dionato-O,O')tin by the conversion from the test results of certain compounds(Tributyl Tins(TBT), Dibutyl Tins(DBT), Dioctyl Tins(DOT), Monoctyl Tins(MOT)).
- ** : All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex IV of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation(Regulation (EC) No 1272/2008).
- ***: C.I.: Colour Index
- ****: Light fractions from distillation

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



8. ****: Concentration value of Disodium tetraborate, anhydrous and Tetraboron disodium heptaoxide, hydrate is evaluated by Disodium tetraborate, with no consideration of the hydrate. Concentration value of Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate is evaluated by Sodium perborate, with no consideration of the hydrate.
9. ▲: Concentration value of Formaldehyde, oligomeric reaction products with aniline (technical MDA) by the conversion from the test results of certain compounds (2,4-Diaminodiphenylmethane, 4,4'-Diaminodiphenylmethane, 2,2-Diaminodiphenylmethane).
10. ^①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances. When the content of the representative substances is equal to or higher than 0.1%(w/w), the presence of the substance in the sample needs to be further confirmed by checking SDS or requesting from suppliers.
11. ^②: In view of the substance contains variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of the representative compounds are calculated based on the result of specified heavy metal elements.
12. #: As specified by client, the test was conducted by mixing several samples together. The result(s) shown on this report may be different from the content of any homogeneous material.
13. *: Indicates the tested items of 73 SVHC.

Remark:

The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

Candidate List of SVHC

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
I	1	Anthracene	120-12-7	204-371-1	0.005
I	2	4,4'-Diaminodiphenylmethane	101-77-9	202-974-4	0.005
I	3	Dibutyl phthalate (DBP)	84-74-2	201-557-4	0.005
I	4*	Cobalt dichloride*	7646-79-9	231-589-4	0.01
I	5*	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.01
I	6*	Diarsenic trioxide*	1327-53-3	215-481-4	0.01
I	7*	Sodium dichromate *	7789-12-0 10588-01-9	234-190-3	0.01
I	8	Musk xylene	81-15-2	201-329-4	0.005
I	9	Bis(2-ethyl(hexyl) phthalate) (DEHP)	117-81-7	204-211-0	0.005
I	10	Hexabromocyclododecane (HBCDD)	25637-99-4 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8)	247-148-4 221-695-9	0.005
I	11	Short Chain Chlorinated Paraffins (SCCPs)	85535-84-8	287-476-5	0.01

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
I	12	Bis(tributyltin)oxide(TBTO)*	56-35-9	200-268-0	0.005
I	13*	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.01
I	14	Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	0.005
I	15*	Triethyl arsenate*	15606-95-8	427-700-2	0.01
II	16	^① Anthracene oil	90640-80-5	292-602-7	0.05
II	17	^① Anthracene oil, anthracene paste, distn. Lights****	91995-17-4	295-278-5	0.05
II	18	^① Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	295-275-9	0.05
II	19	^① Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.05
II	20	^① Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.05
II	21	^① Coal tar pitch, high temperature	65996-93-2	266-028-2	0.05
II	22	Acrylamide	79-06-1	201-173-7	0.01
II	23	2,4-Dinitrotoluene	121-14-2	204-450-0	0.01
II	24	Diisobutyl phthalate(DIBP)	84-69-5	201-553-2	0.005
II	25*	^② Lead chromate	7758-97-6	231-846-0	0.05
II	26*	^② Lead chromate molybdate sulphate red (C.I. Pigment Red 104)***	12656-85-8	235-759-9	0.05
II	27*	^② Lead sulfochromate yellow (C.I. Pigment Yellow 34)***	1344-37-2	215-693-7	0.05
II	28	Tris(2-chloroethyl)phosphate(TCEP)	115-96-8	204-118-5	0.01
III	29	Trichloroethylene	79-01-6	201-167-4	0.005
III	30*	Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	0.01
III	31*	^② Disodium tetraborate, anhydrous*****	1330-43-4 12179-04-3 1303-96-4	215-540-4	0.01
III	32*	^② Tetraboron disodium heptaoxide, hydrate*****	12267-73-1	235-541-3	0.01
III	33*	Sodium chromate*	7775-11-3	231-889-5	0.01
III	34*	Potassium chromate*	7789-00-6	232-140-5	0.01
III	35*	Ammonium dichromate*	7789-09-5	232-143-1	0.01
III	36*	Potassium dichromate*	7778-50-9	231-906-6	0.01
IV	37*	Cobalt(II) sulphate*	10124-43-3	233-334-2	0.01
IV	38*	Cobalt(II) dinitrate*	10141-05-6	233-402-1	0.01
IV	39*	Cobalt(II) carbonate*	513-79-1	208-169-4	0.01
IV	40*	Cobalt(II) diacetate*	71-48-7	200-755-8	0.01
IV	41	2-Methoxyethanol	109-86-4	203-713-7	0.005

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
IV	42	2-Ethoxyethanol	110-80-5	203-804-1	0.005
IV	43*	Chromium trioxide*	1333-82-0	215-607-8	0.01
IV	44*	^① Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5 13530-68-2	231-801-5 236-881-5	0.01
V	45	2-ethoxyethyl acetate	111-15-9	203-839-2	0.01
V	46*	Strontium chromate*	7789-06-2	232-142-6	0.01
V	47	^① 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	0.01
V	48	Hydrazine	7803-57-8 302-01-2	206-114-9	0.01
V	49	1-methyl-2-pyrrolidone	872-50-4	212-828-1	0.01
V	50	1,2,3-trichloropropane	96-18-4	202-486-1	0.01
V	51	^① 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	0.01
VI	52*	^② Aluminosilicate Refractory Ceramic Fibres (RCF)**	—	—	0.05
VI	53*	^② Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF)**	—	—	0.05
VI	54*	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.01
VI	55*	Potassium hydroxyoctaoxodizincate dichromate*	11103-86-9	234-329-8	0.01
VI	56	^① Formaldehyde, oligomeric reaction products with aniline (technical MDA) [▲]	25214-70-4	500-036-1	0.01
VI	57*	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.01
VI	58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.005
VI	59	2-Methoxyaniline (o-Anisidine)	90-04-0	201-963-1	0.005
VI	60	4-(1,1,3,3-tetramethylbutyl) phenol(4-tert-Octylphenol)	140-66-9	205-426-2	0.005
VI	61	1,2-Dichloroethane	107-06-2	203-458-1	0.005
VI	62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.005
VI	63*	Arsenic acid*	7778-39-4	231-901-9	0.01
VI	64*	Calcium arsenate*	7778-44-1	231-904-5	0.01



TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VI	65*	Trilead diarsenate*	3687-31-8	222-979-5	0.01
VI	66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.005
VI	67	Phenolphthalein	77-09-8	201-004-7	0.005
VI	68	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.005
VI	69*	Lead diazide*	13424-46-9	236-542-1	0.01
VI	70*	Lead 2,4,6-trinitro-m-phenylene dioxide (Lead styphnate)*	15245-44-0	239-290-0	0.01
VI	71*	Lead dipicrate*	6477-64-1	229-335-2	0.01
VII	72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.01
VII	73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.01
VII	74*	Diboron trioxide*	1303-86-2	215-125-8	0.01
VII	75	Formamide	75-12-7	200-842-0	0.01
VII	76*	Lead(II) bis methanesulfonate*	17570-76-2	401-750-5	0.01
VII	77	TGIC(1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.01
VII	78	β -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.01
VII	79	4,4'-bis(dimethylamino)benzophenone (Michler'sketone)	90-94-8	202-027-5	0.01
VII	80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler'sbase)	101-61-1	202-959-2	0.01
VII	81	[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. BasicViolet 3)***	548-62-9	208-953-6	0.01
VII	82	[4-[[4-anilino-1-naphthyl]4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammoniumchloride (C.I. Basic Blue 26)***	2580-56-5	219-943-6	0.01
VII	83	α,α -Bis[4-(dimethylamino)phenyl]-4-(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4)***	6786-83-0	229-851-8	0.01
VII	84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	561-41-1	209-218-2	0.01
VIII	85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	214-604-9	0.05
VIII	86	Pentacosafuorotridecanoic acid	72629-94-8	276-745-2	0.05
VIII	87	Tricosafuorododecanoic acid	307-55-1	206-203-2	0.05
VIII	88	Henicosafuoroundecanoic acid	2058-94-8	218-165-4	0.05

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VIII	89	Heptacosafuorotetradecanoic acid	376-06-7	206-803-4	0.05
VIII	90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	—	—	0.05
VIII	91	^① 4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	—	—	0.05
VIII	92	Diazeno-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.05
VIII	93	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride, trans-cyclohexane-1,2-dicarboxylic anhydride	85-42-7 13149-00-3 14166-21-3	201-604-9 236-086-3 238-009-9	0.05
VIII	94	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0 19438-60-9 48122-14-1 57110-29-9	247-094-1 243-072-0 256-356-4 260-566-1	0.05
VIII	95	Methoxyacetic acid	625-45-6	210-894-6	0.05
VIII	96	^① 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.05
VIII	97	Diisopentylphthalate (DIPP)	605-50-5	210-088-4	0.05
VIII	98	N-pentyl-isopentylphthalate	776297-69-9	—	0.05
VIII	99	1,2-Diethoxyethane	629-14-1	211-076-1	0.05
VIII	100	N,N-dimethylformamide	68-12-2	200-679-5	0.05
VIII	101	Dibutyltin dichloride (DBTC)*	683-18-1	211-670-0	0.05
VIII	102*	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.01
VIII	103*	Trileadbis(carbonate) dihydroxide*	1319-46-6	215-290-6	0.01
VIII	104*	Lead oxide sulfate*	12036-76-9	234-853-7	0.01
VIII	105*	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.01
VIII	106*	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.01
VIII	107*	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.01
VIII	108*	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.01
VIII	109*	Lead cyanamidate*	20837-86-9	244-073-9	0.01

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
VIII	110*	Lead dinitrate*	10099-74-8	233-245-9	0.01
VIII	111*	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.01
VIII	112*	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.01
VIII	113*	Lead titanium trioxide*	12060-00-3	235-038-9	0.01
VIII	114*	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.01
VIII	115*	Pentaleadtetraoxide sulphate*	12065-90-6	235-067-7	0.01
VIII	116*	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.01
VIII	117*	Silicic acid(H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.01
VIII	118*	Silicic acid, lead salt*	11120-22-2	234-363-3	0.01
VIII	119*	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.01
VIII	120*	Tetraethyllead*	78-00-2	201-075-4	0.01
VIII	121*	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.01
VIII	122*	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.01
VIII	123	Furan	110-00-9	203-727-3	0.05
VIII	124	Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.05
VIII	125	Diethyl sulphate	64-67-5	200-589-6	0.05
VIII	126	Dimethyl sulphate	77-78-1	201-058-1	0.05
VIII	127	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	421-150-7	0.05
VIII	128	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.05
VIII	129	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.05
VIII	130	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.05
VIII	131	4-aminoazobenzene	60-09-3	200-453-6	0.05
VIII	132	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	202-453-1	0.05
VIII	133	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.05
VIII	134	Biphenyl-4-ylamine	92-67-1	202-177-1	0.05
VIII	135	o-aminoazotoluene	97-56-3	202-591-2	0.05
VIII	136	o-Toluidine	95-53-4	202-429-0	0.05
VIII	137	N-methylacetamide	79-16-3	201-182-6	0.05
VIII	138	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.05
IX	139	① 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon	—	—	0.05

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]			
IX	140*	Cadmium	7440-43-9	231-152-8	0.01
IX	141*	Cadmium oxide*	1306-19-0	215-146-2	0.01
IX	142	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.01
IX	143	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.01
IX	144	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.01
X	145*	Cadmium sulphide *	1306-23-6	215-147-8	0.01
X	146	Diethyl phthalate	84-75-3	201-559-5	0.01
X	147	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)***	573-58-0	209-358-4	0.01
X	148	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)***	1937-37-7	217-710-3	0.01
X	149	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7	202-506-9	0.01
X	150*	Lead di(acetate)*	301-04-2	206-104-4	0.01
X	151	^① Triethyl phosphate	25155-23-1	246-677-8	0.01
XI	152	^① 1,2-Benzenedicarboxylic acid, diethyl ester, branched and linear	68515-50-4	271-093-5	0.01
XI	153*	Cadmium chloride*	10108-64-2	233-296-7	0.01
XI	154*	^② Sodium perborate; perboric acid, sodium salt*****	15120-21-5 11138-47-9	239-172-9 234-390-0	0.01
XI	155*	^② Sodium peroxometaborate*****	7632-04-4	231-556-4	0.01
XII	156	2-(2H-Benzotriazol-2-yl)-4,6-ditertpentyl phenol (UV-328)	25973-55-1	247-384-8	0.01
XII	157	2-Benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	223-346-6	0.01
XII	158	^① Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate	—	—	0.05

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		(reaction mass of DOTE and MOTE)*			
XII	159*	Cadmium fluoride*	7790-79-6	232-222-0	0.01
XII	160*	Cadmium sulphate*	10124-36-4 31119-53-6	233-331-6	0.01
XII	161	2-ethylhexyl10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)*	15571-58-1	239-622-4	0.05
XIII	162	^① 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5 68648-93-1	271-094-0 272-013-1	0.05
XIII	163	^① 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	—	—	0.05
XIV	164	Nitrobenzene	98-95-3	202-716-0	0.01
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.01
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.01
XIV	167	1,3-propanesultone	1120-71-4	214-317-9	0.01
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	206-801-3	0.01
XV	169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	200-028-5	0.01
XVI	170	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7 335-76-2 3830-45-3	221-470-5 206-400-3 -	0.01
XVI	171	p-(1,1-dimethylpropyl)phenol	80-46-6	201-280-9	0.01
XVI	172	^① 4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination	—	—	0.05

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		thereof]			
XVI	173	4,4'-isopropylidenediphenol (bisphenol A; BPA)	80-05-7	201-245-8	0.01
XVII	174	Perfluorohexane-1-sulphonic acid and its salts	—	—	0.05
XVIII	175	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	—	—	0.01
XVIII	176	Benzo[a]anthracene	56-55-3, 1718-53-2	200-280-6	0.01
XVIII	177	^① Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP)[with ≥0.1% w/w 4-heptylphenol, branched and linear (4-HPbl)]	—	—	0.05
XVIII	178*	Cadmium nitrate*	10325-94-7 10022-68-1	233-710-6	0.01
XVIII	179*	Cadmium carbonate*	513-78-0	208-168-9	0.01
XVIII	180*	Cadmium hydroxide*	21041-95-2	244-168-5	0.01
XVIII	181	Chrysene	218-01-9, 1719-03-5	205-923-4	0.01
XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride(trimellitic anhydride) (TMA)	552-30-7	209-008-0	0.01
XIX	183	Benzo[g,h,i]perylene	191-24-2	205-883-8	0.01
XIX	184	Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.01
XIX	185	Dicyclohexylphthalate(DCHP)	84-61-7	201-545-9	0.01
XIX	186*	Disodium octaborate*	12008-41-2	234-541-0	0.01
XIX	187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	208-762-8	0.01
XIX	188	Ethylenediamine (EDA)	107-15-3	203-468-6	0.01
XIX	189*	Lead	7439-92-1	231-100-4	0.01
XIX	190	Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	0.01
XIX	191	^① Terphenyl, hydrogenated	61788-32-7	262-967-7	0.01
XX	192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2,2,1]heptan-2-one	15087-24-8	239-139-9	0.01
XX	193	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	401-720-1	0.01
XX	194	Benzo[k]fluoranthene	207-08-9	205-916-6	0.01
XX	195	Fluoranthene	206-44-0	205-912-4	0.01



TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XX	196	Phenanthrene	85-01-8	201-581-5	0.01
XX	197	Pyrene	129-00-0	204-927-3	0.01
XXI	198	4-tert-butylphenol	98-54-4	202-679-0	0.01
XXI	199	2-methoxyethyl acetate	110-49-6	203-772-9	0.01
XXI	200	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	—	—	0.01
XXI	201	^① Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	—	—	0.01
XXII	202	2-benzyl-2-dimethylamino-4'-morpholino butyrophenone	119313-12-1	404-360-3	0.01
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.01
XXII	204	Diisohexyl phthalate	71850-09-04	276-090-2	0.01
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	—	—	0.01
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.01
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.01
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.01
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin*	22673-19-4	245-152-0	0.05
XXIV	210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.01
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety*	—	—	0.01
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.01
XXV	213	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	—	—	0.01
XXV	214	4,4'-(1-methylpropylidene)bisphenol	77-40-7	201-025-1	0.01
XXV	215	2,2-Bis(bromomethyl)propane-1,3-diol(BMP); 2,2-dimethylpropan-1-ol, tribromo derivative; 3-bromo-2,2-bis(bromomethyl)-1-propan	3296-90-0 36483-57-5/ 1522-92-5 96-13-9	221-967-7 253-057-0 202-480-9	0.01

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		ol (TBNPA); 2,3-dibromo-1-propanol(2,3-DBPA)			
XXV	216	Glutaral	111-30-8	203-856-5	0.01
XXV	217	Middle Chain Chlorinated Paraffins (MCCPs)(UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C ₁₄ to C ₁₇)	—	—	0.01
XXV	218*	Orthoboric acid, sodium salt*	13840-56-7	237-560-2	0.05
XXV	219	Phenol, alkylation products (mainly in para position) with C ₁₂ -rich branched alkyl chains from oligomerisation, covering any individual isomers and/or combinations thereof (PDDP)	—	—	0.01
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	—	—	0.01
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	204-327-1	0.01
XXVI	222	S-(tricyclo(5.2.1.0' ² ,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.01
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.01
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.01
XXVIII	225	1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromobenzene](BTBPE)	37853-59-1	253-692-3	0.01
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol(TBBPA)	79-94-7	201-236-9	0.01
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.01
XXVIII	228*	Barium diboron tetraoxide	13701-59-2	237-222-4	0.01
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	—	—	0.01
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.01
XXVIII	231	Melamine	108-78-1	203-615-4	0.01
XXVIII	232	Perfluoroheptanoic acid and its salts	—	—	0.01
XXVIII	233	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl) morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl) morpholine	—	473-390-7	0.01
XXIX	234	Bis(4-chlorophenyl) sulphone	80-07-9	201-247-9	0.01
XXIX	235	diphenyl(2,4,6-trimethylbenzoyl)phosphi	75980-60-8	278-355-8	0.01

TRF-4-R-029 . A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
		ne oxide			
XXX	236	2,4,6-tri-tert-butylphenol	732-26-3	211-989-5	0.01
XXX	237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol	3147-75-9	221-573-5	0.01
XXX	238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl) phenyl]butan-1-one	119344-86-4	438-340-0	0.01
XXX	239	Bumetrizole	3896-11-5	223-445-4	0.01
XXX	240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	—	700-960-7	0.01
XXXI	241	Bis(a,a dimethylbenzyl) Peroxide	80-43-3	201-279-3	0.01
XXXII	242	Triphenyl phosphate	115-86-6	204-112-2	0.01

Appendix:

- Any supplier of an article containing a substance that is included in the Candidate List in a concentration above 0.1% weight by weight (w/w) has the duty to communicate information in accordance with Article 33 of European Union regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).
 - Any supplier shall provide the recipient of the article with sufficient information to allow safe use of the article including, as a minimum, the name of that substance.
 - On request by a consumer any supplier shall provide the consumer with sufficient information to allow safe use of the article including, as a minimum, the name of that substance within 45 days of receipt of the request, free of charge.
- The supplier of a substance that is included in the Candidate List on their own shall provide the recipient of the substance with a safety data sheet for free compiled in accordance with Article 31 and Annex II of REACH.
- The supplier of a mixture that containing a substance that is included in the Candidate List shall exchange information in accordance with Article 31, Article 32, and Annex II of REACH.
 - Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation meets the criteria for classification as dangerous in accordance with Directives (EC) No 1272/2008.
 - Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation does not meet the criteria for classification as dangerous in accordance with Directive (EC) No 1272/2008, but contains any substance that is included in the Candidate List in an individual concentration of $\geq 0.1\%$ by weight for non-gaseous mixtures or $\geq 0.2\%$ by volume for gaseous mixtures.






APPENDIX :

According to client's declaration, tested material would be produced as relevant product(s).


PLF1-I120-065C-I0-ZZ、PLF1-D120-065C-I0-ZZ、PLF1-I120-065B-I0-ZZ、PLF1-D120-065B-I0-ZZ、
PLF1-I120-065D-I0-ZZ、PLF1-D120-065D-I0-ZZ、PLF1-I120-065K-I0-ZZ、PLF1-D120-065K-I0-ZZ、
PLF1-I150-078C-I0-ZZ、PLF1-D150-078C-I0-ZZ、PLF1-I150-078B-I0-ZZ、PLF1-D150-078B-I0-ZZ、
PLF1-I150-078D-I0-ZZ、PLF1-D150-078D-I0-ZZ、PLF1-I150-078K-I0-ZZ、PLF1-D150-078K-I0-ZZ ;
PLF1-I120-052C-I0-ZZ、PLF1-D120-052C-I0-ZZ、PLF1-I120-052B-I0-ZZ、PLF1-D120-052B-I0-ZZ、
PLF1-I120-052D-I0-ZZ、PLF1-D120-052D-I0-ZZ、PLF1-I120-052K-I0-ZZ、PLF1-D120-052K-I0-ZZ、
PLF1-I150-065C-I0-ZZ、PLF1-D150-065C-I0-ZZ、PLF1-I150-065B-I0-ZZ、PLF1-D150-065B-I0-ZZ、
PLF1-I150-065D-I0-ZZ、PLF1-D150-065D-I0-ZZ、PLF1-I150-065K-I0-ZZ、PLF1-D150-065K-I0-ZZ ;
PLF1-I120-038C-I0-ZZ、PLF1-D120-038C-I0-ZZ、PLF1-I120-038B-I0-ZZ、PLF1-D120-038B-I0-ZZ、
PLF1-I120-038D-I0-ZZ、PLF1-D120-038D-I0-ZZ、PLF1-I120-038K-I0-ZZ、PLF1-D120-038K-I0-ZZ、
PLF1-I150-048C-I0-ZZ、PLF1-D150-048C-I0-ZZ、PLF1-I150-048B-I0-ZZ、PLF1-D150-048B-I0-ZZ、
PLF1-I150-048D-I0-ZZ、PLF1-D150-048D-I0-ZZ、PLF1-I150-048K-I0-ZZ、PLF1-D150-048K-I0-ZZ


Test Process





The Photo(s) of the sample(s)








TRF-4-R-029 . A/0




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity







**Statement:**

1. The test report is invalid without the signature of the approver and the special seal for the company's report;
2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
3. The test results in this report are only responsible for the tested samples;
4. Without written approval of LCS, this report can't be reproduced except in full;
5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***

